

Customized FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY DOCKET NO. P0690000BAS U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 09/647,780
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		
INTERNATIONAL APPLICATION NO. PCT/FR99/00807	INTERNATIONAL FILING DATE 07 April 1999	PRIORITY DATE CLAIMED 08 April 1998
TITLE OF INVENTION: NOVEL MEMBRANE-BOUND METALLOPROTEASE NEP II AND THE USE...		
APPLICANT(S) FOR DO/EO/US: OUMET et al.		
Applicant herewith submits to the US Designated/Elected Office (DO/EO/US) the following items and other information:		
<ol style="list-style-type: none"> 1. This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. <input checked="" type="checkbox"/> 2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 USC 371. 3. This express request to begin national examination procedures (35 USC 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 USC 371(b) and PCT Art. 22 and 39(1). 4. A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. A copy of the International Application as filed (35 U.S.C. 371 (c)(2)) <ol style="list-style-type: none"> a. is transmitted herewith (required only if not transmitted by the International Bureau). b. has been transmitted by the International Bureau. c. is not required, as the application was filed in the United States Receiving Office (RO/US). <input checked="" type="checkbox"/> 6. A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. Amendments to the claims of the International Appln. under PCT Article 19 (35 USC 371 (c)(3)) <ol style="list-style-type: none"> a. are transmitted herewith (required only if not transmitted by the International Bureau). b. have been transmitted by the International Bureau. c. have not been made; however, the time limit for making such amendments had NOT expired. d. have not been made and will not be made. 8. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). <input checked="" type="checkbox"/> 9. An oath-or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. A translation of the annexes to the Int'l Prelim. Exam. Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 		
Items 11. to 16. below concern document(s) or information included:		
11. An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98.		
<input checked="" type="checkbox"/> 12. An Assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.		
<input checked="" type="checkbox"/> 13. A First preliminary amendment . A Second or subsequent preliminary amendment.		
14. A substitute specification.		
15. A change of power of attorney and/or address letter.		
<input checked="" type="checkbox"/> 16. Other items or information:		
<input checked="" type="checkbox"/> Statement under 37 CFR 1.821 including diskette		
<input checked="" type="checkbox"/> A copy of the Notification of Missing Requirements under 35 U.S.C. 371.		
<input checked="" type="checkbox"/> In the event that a petition for extension of time is required to be submitted herewith, and in the event that a separate petition does not accompany this response, applicant hereby petitions under 37 CFR 1.136(a) for an extension of time of as many months as are required to render this submission timely. Any fee is authorized in 17(c).		

Date: 26 December 2000

Customized Form PTO-1390		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY DOCKET NO. P06910US00/BAS	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. 09/647780	
INTERNATIONAL APPLICATION NO. PCT/FR99/00807		INTERNATIONAL FILING DATE 07 APRIL 1999		PRIORITY DATE CLAIMED 08 APRIL 1998	
TITLE OF INVENTION: NOVEL NEP II MEMBRANE METALLOPROTEASE AND ITS USE FOR SCREENING. ...					
APPLICANT(S) FOR DO/EO/US: OUIMET, Tanja et al.					
Applicant herewith submits to the US Designated/Elected Office (DO/EO/US) the following items and other information:					
<input checked="" type="checkbox"/> 1. This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. <input type="checkbox"/> 2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 USC 371. <input checked="" type="checkbox"/> 3. This express request to begin national examination procedures (35 USC 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 USC 371(b) and PCT Art. 22 and 39(1). <input checked="" type="checkbox"/> 4. A proper Demand for International Preliminary Examination was made by the 19 th month from the earliest claimed priority date. <input checked="" type="checkbox"/> 5. A copy of the International Application as filed (35 U.S.C. 371 (c)(2)) <input type="checkbox"/> a. is transmitted herewith (required only if not transmitted by the International Bureau). <input checked="" type="checkbox"/> b. has been transmitted by the International Bureau. <input type="checkbox"/> c. is not required, as the application was filed in the United States Receiving Office (RO/US). <input type="checkbox"/> 6. A translation of the International Application into English (35 U.S.C. 371(c)(2)). <input checked="" type="checkbox"/> 7. Amendments to the claims of the International Appln. under PCT Article 19 (35 USC 371 (c)(3)) <input type="checkbox"/> a. are transmitted herewith (required only if not transmitted by the International Bureau). <input type="checkbox"/> b. have been transmitted by the International Bureau. <input type="checkbox"/> c. have not been made; however, the time limit for making such amendments had NOT expired. <input checked="" type="checkbox"/> d. have not been made and will not be made. <input type="checkbox"/> 8. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). <input type="checkbox"/> 9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). <input type="checkbox"/> 10. A translation of the annexes to the Int'l Prelim. Exam. Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. to 16. below concern document(s) or information included: <input type="checkbox"/> 11. An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98. <input type="checkbox"/> 12. An Assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. <input type="checkbox"/> 13. A First preliminary amendment . <input type="checkbox"/> A Second or subsequent preliminary amendment. <input type="checkbox"/> 14. A substitute specification. <input type="checkbox"/> 15. A change of power of attorney and/or address letter. <input type="checkbox"/> 16. Other items or information: <input type="checkbox"/> <input type="checkbox"/> A copy of the Notification of Missing Requirements under 35 U.S.C. 371. <input type="checkbox"/> In the event that a petition for extension of time is required to be submitted herewith, and in the event that a separate petition does not accompany this response, applicant hereby petitions under 37 CFR 1.136(a) for an extension of time of as many months as are required to render this submission timely. Any fee is authorized in 17(c).					
Date: 05 October 2000					

U.S. APPLICATION NO. 09/647780		INTERNATIONAL APPLICATION NO. PCT/FR99/00807		ATTORNEY DOCKET NO. P06910US00/BAS											
<input checked="" type="checkbox"/> 17. The following fees are submitted: <input checked="" type="checkbox"/> Basic National Fee (37 CFR 1.492 (a) (1)-(5): <table style="width: 100%; margin-top: 5px;"> <tr> <td><input type="checkbox"/> Neither Int'l Prelim. Exam. fee nor Int'l Search fee paid to USPTO</td> <td style="text-align: right;">\$1000</td> </tr> <tr> <td><input checked="" type="checkbox"/> Search Report has been prepared by the EPO or JPO</td> <td style="text-align: right;">\$ 860</td> </tr> <tr> <td><input type="checkbox"/> No Int'l Prelim. Ex. fee paid to USPTO but Int'l Search fee paid to USPTO</td> <td style="text-align: right;">\$ 710</td> </tr> <tr> <td><input type="checkbox"/> International preliminary examination fee paid to USPTPO</td> <td style="text-align: right;">\$ 690</td> </tr> <tr> <td><input type="checkbox"/> Int'l Prelim. Ex. fee paid to USPTO & all claims satisfied PCT Art. 33(1)-(4)</td> <td style="text-align: right;">\$ 100</td> </tr> </table>				<input type="checkbox"/> Neither Int'l Prelim. Exam. fee nor Int'l Search fee paid to USPTO	\$1000	<input checked="" type="checkbox"/> Search Report has been prepared by the EPO or JPO	\$ 860	<input type="checkbox"/> No Int'l Prelim. Ex. fee paid to USPTO but Int'l Search fee paid to USPTO	\$ 710	<input type="checkbox"/> International preliminary examination fee paid to USPTPO	\$ 690	<input type="checkbox"/> Int'l Prelim. Ex. fee paid to USPTO & all claims satisfied PCT Art. 33(1)-(4)	\$ 100	CALCULATIONS PTO USE ONLY	
<input type="checkbox"/> Neither Int'l Prelim. Exam. fee nor Int'l Search fee paid to USPTO	\$1000														
<input checked="" type="checkbox"/> Search Report has been prepared by the EPO or JPO	\$ 860														
<input type="checkbox"/> No Int'l Prelim. Ex. fee paid to USPTO but Int'l Search fee paid to USPTO	\$ 710														
<input type="checkbox"/> International preliminary examination fee paid to USPTPO	\$ 690														
<input type="checkbox"/> Int'l Prelim. Ex. fee paid to USPTO & all claims satisfied PCT Art. 33(1)-(4)	\$ 100														
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 860.00											
<input type="checkbox"/> Surcharge of \$130 for furnishing the oath or declaration later than from the earliest claimed priority date (37 CFR 1.492(e)). <table style="width: 100%; margin-top: 5px;"> <tr> <td><input type="checkbox"/> 20 mos.</td> <td></td> </tr> <tr> <td><input type="checkbox"/> 30 mos. +</td> <td style="text-align: center;">\$</td> </tr> </table>				<input type="checkbox"/> 20 mos.		<input type="checkbox"/> 30 mos. +	\$								
<input type="checkbox"/> 20 mos.															
<input type="checkbox"/> 30 mos. +	\$														
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE												
Total Claims	- 20 =		X \$18 =	\$											
Independent Claims	- 03 =		X \$80 =	\$											
<input type="checkbox"/> Multiple Dependent Claim(s) (if applicable)			+ \$270 =	\$											
TOTAL OF ABOVE CALCULATIONS =				\$ 860.00											
<input type="checkbox"/> Reduction of 1/2 for small entity status of applicant.				\$											
SUBTOTAL =				\$ 860.00											
<input type="checkbox"/> Processing fee of \$130 for furnishing the English translation later than from the earliest claimed priority date (37 CFR 1.492(f)). <table style="width: 100%; margin-top: 5px;"> <tr> <td><input type="checkbox"/> 20 mos.</td> <td></td> </tr> <tr> <td><input type="checkbox"/> 30 mos. +</td> <td style="text-align: center;">\$</td> </tr> </table>				<input type="checkbox"/> 20 mos.		<input type="checkbox"/> 30 mos. +	\$								
<input type="checkbox"/> 20 mos.															
<input type="checkbox"/> 30 mos. +	\$														
TOTAL NATIONAL FEE =				\$ 860.00											
<input type="checkbox"/> Fee for recording the enclosed assignment, accompanied by a cover sheet - \$40 per property				\$											
TOTAL FEES ENCLOSED =				\$ 860.00											
Amount to be				Refunded	\$										
				Charged	\$										
<input checked="" type="checkbox"/> a. A check in the amount of \$ 860.00 to cover the above fees is enclosed. <input type="checkbox"/> b. Please charge my Deposit Account No. 12-0555 in the amount of \$ to cover the above fees. <input checked="" type="checkbox"/> c. The Commissioner is hereby authorized to charge any additional fees required or credit overpayment to Deposit Account No. 12-0555.															
Note: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.															
SEND ALL CORRESPONDENCE TO: B. Aaron Schulman At the address (below) of CUSTOMER NO. 000881. LARSON & TAYLOR, PLC 1199 NORTH FAIRFAX ST. SUITE 900 ALEXANDRIA, VA 22314			SIGNATURE: <u><i>Douglas E Jackson</i></u> NAME: DOUGLAS E. JACKSON REG. NO.: 28518 PHONE NO.: 703-739-4900 Date: 05 OCTOBER 2000												

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

OUIMET et al.

Serial No.: 09/647,780

Examiner:

Filed: October 5, 2000

Art Unit:

National Stage of PCT/FR99/0807

For: NOVEL NEP II MEMBRANE
METALOPROTEASE AND ITS USE FOR
SCREENING . . .

Docket No.: P06910US0/BAS

STATEMENT UNDER 37 C.F.R. § 1.821

Honorable Assistant Commissioner of Patents and Trademarks


Washington, D.C. 20231

SIR:

I hereby certify in accordance with 37 C.F.R. 1.821(f) that the content of the enclosed paper sequence listing and computer readable form of the sequence listing are the same. In accordance with 37 C.F.R. 1.821(g), I hereby certify that the enclosed submission contains no new matter.

Respectfully submitted,

Date: December 26, 2000


B. Aaron Schulman
Registration No. 31,877

LARSON & TAYLOR, PLC
Transpotomac Plaza
1199 North Fairfax Street
Suite 900
Alexandria, Virginia 22314
(703) 739-4900

#11 C Bert
09/6477

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

OUIMET et al.

Serial No.: 09/647,780

Examiner:

Filed: October 5, 2000

Art Unit:

National Stage of PCT/FR99/0807

For: NOVEL NEP II MEMBRANE
METALOPROTEASE AND ITS USE FOR
SCREENING . . .

Docket No.: P06910US0/BAS

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, DC 20231

S I R:

In response to the Notice dated December 4, 2001, please amend the
application as follows:

IN THE SPECIFICATION:

After Page 14, please substitute the attached Sequence Listing for any
Sequence Listing previously filed in the application.

REMARKS

By this Preliminary Amendment, Applicants are submitting a revised Sequence
Listing which overcomes the objections pointed out in the Notice dated December 4,
2001, as well as a copy of the paper sequence in computer readable form.


STATEMENT UNDER 37 CFR § 1.821

Applicants hereby certify in accordance with 37 C.F.R. 1.821(f) that the content of the enclosed paper sequence listing and computer readable form of the sequence listing are the same. In accordance with 37 C.F.R. 1.821(g), Applicants hereby certify that the enclosed submission contains no new matter.

In light of the foregoing, it is submitted that all prior objections have been overcome, and that the present application should be examined and passed on to allowance at the earliest possible time.

Respectfully submitted,

LARSON & TAYLOR, PLC



B. Aaron Schulman
Registration No. 31,877

Date: December 13, 2001

Transpotomac Plaza
1199 N. Fairfax Street
Suite 900
Alexandria, VA 22314
(703) 739-4900

26 DEC 2000

PATENT**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re patent application of:

OUIMET et al.

Serial No.: 09/647,780

Examiner:

Filed: October 5, 2000

Art Unit:

National Stage of PCT/FR99/0807

For: NOVEL NEP II MEMBRANE
METALOPROTEASE AND ITS USE FOR
SCREENING . . .

Docket No.: P06910US0/BAS

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, DC 20231

S I R:

Prior to the examination of the above-identified application, please amend the application as follows:

IN THE SPECIFICATION:

After Page 14, please insert the attached Sequence Listing (12 pages) and delete the Sequence Listing previously included in the application.

IN THE CLAIMS:

Please amend Claim 9 as follows:

--9. (Amended) A method for detecting the expression of the NEP II polypeptide in a cell or tissue sample or in cells or a tissue, by *in situ* hybridization, comprising the steps consisting in:

- preparing the RNA of said sample or of said cells or of said tissue;

- bringing said RNA obtained into contact with at least one probe having a nucleotide sequence which is capable of hybridizing specifically with a nucleotide sequence as claimed in claim 2[, said probe possibly being in particular an oligonucleotide probe as claimed in claim 3]; and
- detecting the presence of mRNA hybridizing with said probe, which indicates the expression of the NEP II polypeptide.--

Please amend Claim 12 as follows:

--12. (Amended) A method for detecting NEP II in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:

- bringing said cell or tissue sample, said cells or said tissue into contact with a compound which is a substrate for the NEP II polypeptide, obtained according to the method of claim 9, or with a compound which is a inhibitor of the metalloprotease activity of NEP II, [obtained according to the screening method of claim 11,] said substrate compound or said inhibitor compound being labeled; and
- detecting the presence of said substrate compound or of said inhibitor compound, which is an indication of the presence of the NEP II polypeptide.--

Please amend Claim 13 as follows:

--13. (Amended) [The use of] A method of using the NEP II polypeptide as claimed in claim 1 for screening compounds which are inhibitors of the metalloprotease activity of NEP II, and which are useful for manufacturing a medicinal product intended for treating disorders involving the peptide transmissions in which NEP II participates,

comprising bringing compounds suspected of being capable of inhibiting the metalloprotease activity of the NEP II polypeptide as claimed in claim 1 into contact with said polypeptide and determining which of said compounds inhibit the metalloprotease activity of said NEP II polypeptide.--

Please amend Claim 14 as follows:


--14. (Amended) [The use] A method of using as claimed in claim 13, [in which] wherein said disorders are [chosen from] selected from the group consisting of cardiovascular and neurodegenerative diseases, growth disorders of endocrine origin, disturbances of the hypothlamo-hypophysial axis and endocrine conditions.--

REMARKS

By this Preliminary Amendment, Applicants are amending Claims 13 and 14 to be more proper under U.S. form and to eliminate multiple dependent claims. In addition, Applicants are providing herewith a computer diskette of the sequence listing and are incorporating into the present specification a paper copy of the sequence listing in computer readable form.

Examination and allowance of the present claims are thus earnestly solicited.

Respectfully submitted,
LARSON & TAYLOR, PLC


B. Aaron Schulman
Registration No. 31,877

Date: December 26, 2000

1199 N. Fairfax Street, Suite 900
Alexandria, VA 22314
(703) 739-4900

"Novel membrane-bound metalloprotease NEP II and the use thereof for screening inhibitors useful in therapy"

5 The subject of the present invention is a novel membrane-bound metalloprotease called NEP II and the use thereof, in particular for screening inhibitors useful in therapy.

10 Membrane-bound metalloproteases such as neprilysin (NEP I, EC 3.4.24.11) play an important role in the activation or inactivation of neuronal or hormonal peptide messengers. Their selective inhibition by synthetic compounds has already led to medicinal products which are commonly used in therapeutics, or
15 which are in the process of clinical development, in particular in the gastroenterological (Baumer et al., Gut, 1992, 33: 753-758) and cardiovascular (Gros et al., Proc. Natl. Acad. Sci. USA, 1991, 88: 4210-4214) fields. The isolation of the cDNAs of genes of novel
20 related metalloproteases is likely to enable the development of novel classes of specific inhibitors with promising therapeutic uses. It is in this way that the cloning and the expression of the endothelin-converting enzyme (ECE) gene (Xu et al., Cell, 1994,
25 78: 473-485) allowed the development of inhibitors which are potentially useful in certain cardiovascular disorders.

 The authors of the present invention have revealed a novel membrane-bound metalloprotease
30 belonging to the ECE/NEP/Kell family (Lee S. et al., 1991, PNAS 88(14): 6353-57), which they have called NEP II.

 A subject of the present invention is thus an isolated polypeptide comprising an amino acid sequence
35 chosen from the sequence SEQ ID No. 2 or SEQ ID No. 4, a sequence derived from or homologous to said sequence SEQ ID No. 2 or SEQ ID No. 4, and a biologically active fragment of said sequence SEQ ID No. 2 or SEQ ID No. 4,

said isolated polypeptide being referred to as "NEP II".

The sequence SEQ ID No. 2 is the amino acid sequence of NEP II identified in rats.

5 The sequence SEQ ID No. 4 is an amino acid sequence (partial) of NEP II identified in humans.

The term "derived" polypeptide is intended to mean any polypeptide resulting from a modification of genetic and/or chemical type of the sequence SEQ ID
10 No. 2 or SEQ ID No. 4, i.e. by mutation, deletion, addition, substitution and/or chemical modification of at least one amino acid, or any isoform having a sequence identical to the sequence SEQ ID No. 2 or SEQ ID No. 4, but containing at least one amino acid in the
15 D form.

Said substitutions are preferably conservative substitutions, i.e. substitutions of amino acids of the same class, such as substitutions of amino acids with uncharged side chains (such as asparagine, glutamine,
20 serine, threonine or tyrosine), of amino acids with basic side chains (such as lysine, arginine or histidine), of amino acids with acidic side chains (such as aspartic acid or glutamic acid) or of amino acids with apolar side chains (such as glycine,
25 alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan or cysteine).

The term "homologous" polypeptide is intended to mean more particularly any polypeptide which can be isolated from mammalian species other than rats or
30 humans.

Said homologous polypeptides show preferably greater than 70%, even more preferably greater than 75%, sequence homology with the complete sequence SEQ ID No. 2 or SEQ ID No. 4, the homology being
35 particularly high in that portion of said polypeptide containing the active site.

The homology is generally determined using a sequence analysis software package (for example, Sequence Analysis Software Package of the Genetics

Computer Group, University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705). Similar amino acid sequences are aligned in order to obtain the maximum degree of homology (i.e. identity).
5 To this end, it may be necessary to artificially introduce "gaps" into the sequence. Once the optimum alignment has been produced, the degree of homology (i.e. identity) is established by recording all the positions for which the amino acids of the two compared
10 sequences are identical, with respect to the total number of positions.

Said polypeptides derived from or homologous to, or the polypeptide fragments of, the polypeptide of sequence SEQ ID No. 2 or SEQ ID No. 4 are biologically
15 active, i.e. they have biological properties identical or similar of the biological properties of the NEP II polypeptide of sequence SEQ ID No. 2 or SEQ ID No. 4, namely metalloprotease activity.

The preferred polypeptide fragments comprise
20 the sequence of the active site responsible for binding the zinc atom which is essential for the catalysis. This active site has been identified as encompassing the $\text{HEX}_1\text{X}_2\text{H}$, X_1 and X_2 residues representing varied amino acids. It is in particular the HEITH sequence
25 (amino acids 608 to 612 of the sequence SEQ ID No. 2) in the NEP II polypeptide in rats and humans.

A subject of the present invention is also an isolated nucleic acid comprising a nucleotide sequence chosen from the sequence SEQ ID No. 1 or SEQ ID No. 3,
30 a sequence derived from or homologous to said sequence SEQ ID No. 1 or SEQ ID No. 3, and the complementary sequences thereof.

The sequence SEQ ID No. 1 is the cDNA sequence comprising the coding frame for NEP II identified in
35 rats.

The sequence SEQ ID No. 3 is the cDNA sequence comprising (partially) the coding frame for NEP II identified in humans.

The term "derived" nucleotide sequence is intended to mean any nucleotide sequence encoding a polypeptide derived from NEP II as defined above, i.e. a sequence resulting from a modification of the sequence SEQ ID No. 1 or SEQ ID No. 3, in particular by mutation, deletion, addition or substitution of at least one nucleotide. Included in particular are the sequences which are derived from the sequence SEQ ID No. 1 or SEQ ID No. 3 by degeneracy of the genetic code.

The term "homologous" sequence is intended to mean more particularly any nucleotide sequence encoding an NEP II polypeptide homologous to the NEP II polypeptide of sequence SEQ ID No. 2 or SEQ ID No. 4 in mammalian species other than rats or humans.

Such a homologous sequence has preferably greater than 70%, even more preferably greater than 75%, homology with the sequence SEQ ID No. 1 or SEQ ID No. 3, the homology being particularly high in the central portion of the sequence encoding the NEP II polypeptide.

Preferably, such as homologous nucleotide sequence hybridizes specifically with the sequences which are complementary to the sequence SEQ ID No. 1 or No. 3, under stringent conditions. The parameters which define the stringency conditions depend on the temperature at which 50% of the paired strands separate (T_m).

For sequences comprising more than 30 bases, T_m is defined by the equation: $T_m = 81.5 + 0.41(\%G+C) + 16.6 \log(\text{concentration of cations}) - 0.63(\% \text{formamide}) - (600/\text{number of bases})$ (Sambrook et al., Molecular Cloning, A laboratory manual, Cold Spring Harbor laboratory Press, 1989, pages 9.54-9.62).

For sequences more than 30 bases long, T_m is defined by the equation: $T_m = 4(G+C) + 2(A+T)$.

Under suitable stringency conditions, under which the nonspecific sequences do not hybridize, the hybridization temperature is approximately 5 to 30°C,

preferably 5 to 15°C, below T_m , even more preferably 5 to 10°C below T_m (high stringency), and the hybridization buffers used are preferably solutions with high ionic strength, such as a 6xSSC solution for example.

The nucleotide sequences according to the invention can be used for producing a recombinant NEP II protein according to the invention, according to techniques for producing recombinant products, known to persons skilled in the art.

An effective system for producing a recombinant protein must have a vector, for example of plasmid or viral origin, and a compatible host cell.

The cellular host can be chosen from prokaryotic systems such as bacteria, or eukaryotic systems such as, for example, yeasts, insect cells or mammalian cells, for instance CHO cells (Chinese hamster ovary cells), or any other advantageously available system.

The vector should comprise a promoter, translation initiation and termination signals, and the suitable transcription regulation regions. It should be able to be integrated into the cell and can optionally have specific signals determining the secretion of the translated protein.

These various control signals are chosen according to the cellular host used. For this purpose, the nucleotide sequences according to the invention can be inserted into vectors which replicate autonomously within the chosen host, or vectors which integrate in the chosen host. Such vectors will be prepared according to the methods commonly used by persons skilled in the art, and the clones resulting therefrom can be introduced into a suitable host by standard methods, such as for example electroporation.

Examples of vectors of interest are the plasmids pcDNA 3.1, PCR2.1 (Invitrogen), or pMbac (Stratagene).

The invention is aimed toward the cloning and/or expression vectors containing a nucleotide sequence according to the invention, and is also aimed toward the host cells transfected with these vectors.

5 These cells can be obtained by introducing into host cells a nucleotide sequence inserted into a vector as defined above, and then culturing said cells under conditions which allow the replication and/or expression of the transfected nucleotide sequence.

10 These cells can be used in a method for producing a recombinant polypeptide according to the invention.

15 The method for producing a polypeptide of the invention in recombinant form is itself included in the present invention, and is characterized in that the transfected cells are cultured under conditions which allow the expression of a recombinant polypeptide according to the invention, and in that said recombinant polypeptide is recovered.

20 The purification methods used are known to persons skilled in the art. The recombinant polypeptide can be purified from cell lysates and extracts, or from the culture medium supernatant, by methods used separately or in combination, such as fractionation, chromatography methods, or immunoaffinity techniques
25 using monoclonal antibodies or polyclonal serum, etc.

A subject of the present invention is also the nucleotide probes which are capable of hybridizing strongly and specifically with a nucleic acid sequence,
30 of a genomic DNA or of a messenger RNA, encoding a polypeptide according to the invention. The suitable hybridization conditions correspond to the temperature and ionic strength conditions conventionally used by persons skilled in the art (Sambrook et al., 1989),
35 preferably to conditions of high stringency, i.e. temperature conditions between (T_m minus 5°C) and (T_m minus 15°C) and even more preferably to temperature conditions between T_m and (T_m minus 10°C) (high stringency).

The preferred probes are in particular the oligonucleotide probes chosen from the sequences SEQ ID No. 5 to SEQ ID No. 27.

Such probes are useful for sequencing reactions or specific amplification reactions according to the so-called PCR (polymerase chain reaction) technique or any other variant of this.

Such probes are also useful in a method for detecting the expression of the NEP II polypeptide in a cell or tissue sample or in cells or a tissue, by *in situ* hybridization, comprising the steps consisting in:

- preparing the RNA of said sample or of said cells or of said tissue;

- bringing said RNA obtained into contact with at least one probe having a nucleotide sequence which is capable of hybridizing specifically with a nucleotide sequence according to the invention, said probe possibly being in particular an oligonucleotide probe of sequence SEQ ID No. 5 to SEQ ID No. 27;

- detecting the presence of mRNA hybridizing with said probe, which indicates the expression of the NEP II polypeptide.

A subject of the invention is also mono- or polyclonal antibodies or their fragments, chimeric antibodies or immunoconjugates, characterized in that they are obtained using a polypeptide according to the invention administered to an animal, and are capable of recognizing specifically a polypeptide according to the invention. A subject of the invention is also the use of these antibodies for purifying or detecting an NEP II polypeptide in a biological sample.

The polyclonal antibodies can be obtained from the serum of an animal immunized against the NEP II protein produced, for example, by genetic recombination using the method described above, according to the usual procedures.

The monoclonal antibodies can be obtained according to the conventional method of hybridoma

culturing described by Köhler and Milstein (Nature, 1975, vol. 256, pp 495-497).

The antibodies can be chimeric antibodies, humanized antibodies or Fab and F(ab')₂ fragments. They
5 can also be in the form of labeled antibodies or immunoconjugates.

The antibodies according to the invention are particularly useful for detecting the presence of NEP II.

10 A subject of the present invention is therefore a method for immunologically detecting NEP II in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:

- bringing said cell or tissue sample, said
15 cells or said tissue into contact with a detectable antibody according to the invention;

- detecting the presence of said antibody, which is an indication of the presence of the NEP II polypeptide.

20 The term "detectable antibody" is intended to mean either an antibody labeled with a detectable group, such as a group which is radioactive, enzymatic, fluorogenic or fluorescent, or an antibody to which another antibody, which is itself labeled in a
25 detectable manner is bound.

The antibodies according to the invention can thus make it possible to evaluate overexpression of the
+ ^{NEP} ~~lacuna~~ II polypeptide, which may be an indication of neuroendocrine tumour cells in particular.

30 A subject of the invention is also a method for identifying compounds which are substrates for the NEP II polypeptide as defined above, in which said compounds, optionally labeled, are brought into contact with the NEP II polypeptide, and the cleavage of said
35 compounds by NEP II, which is an indication of the metalloprotease activity of NEP II toward said substrate compounds, is evaluated.

Such substrates specific for NEP II can in particular be used in a method for detecting the

metalloprotease activity of NEP II in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:

5 - bringing said cell or tissue sample, said cells or said tissue into contact with a compound which is a substrate for the NEP II polypeptide, obtained according to the invention, said substrate compound being optionally labeled;

10 - evaluating the cleavage of said substrate compound, which is an indication of the metalloprotease activity of NEP II.

15 Cells which can be thus assayed are especially cells transfected with a polynucleotide encoding the NEP II polypeptide as defined above. Tissue extracts which can be assayed are especially testicle membranes, which are particularly rich in NEP II metalloprotease.

20 A subject of the invention is, moreover, a method for screening compounds which are capable of inhibiting the metalloprotease activity of the NEP II polypeptide according to the invention, in which said compounds are brought into contact with said NEP II polypeptide and the degree of inhibition of the metalloprotease activity of NEP II is evaluated.

25 The compounds capable of inhibiting the metalloprotease activity of NEP II are preferably short peptides of 2 or 3 natural or modified amino acids.

30 The synthetic peptides identified as inhibitors of the metalloprotease activity of NEP II by this screening method can be coupled to a zinc-chelating group, such as thiol, phosphate or hydroxamic acid groups, according to the conventional techniques known to persons skilled in the art. The inhibitor compound obtained is a good candidate as an active principle of a medicinal product, in combination with a
35 pharmaceutically acceptable vehicle. Said chelating group can optionally be transiently protected, for example with a thiol ester, so as to improve the bioavailability of said active principle.

The NEP II polypeptide according to the invention is particularly useful for screening compounds which are inhibitors of the metalloprotease activity of NEP II and which are useful for
5 manufacturing a medicinal product intended for treating disorders involving peptide transmissions in which NEP II participates.

Among the disorders under consideration, mention may be made in particular of cardiovascular and
10 neurodegenerative diseases, growth disorders of endocrine origin, disturbances of the hypothalamo-hypophysial axis and endocrine conditions. More particularly targeted are disorders affecting the metabolism of neurohormones or factors of the
15 corticotropic sphere.

The compounds which are substrates for NEP II or which are inhibitors of the metalloprotease activity of NEP II, obtained according to the methods described above, can also be useful for detecting the NEP II
20 protein.

A subject of the present invention is therefore also a method for detecting NEP II in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:

25 - bringing said cell or tissue sample, said cells or said tissue into contact with a compound which is a substrate for the NEP II polypeptide, obtained as defined above, or with a compound which is an inhibitor of the metalloprotease activity of NEP II, obtained
30 according to the screening method as defined above, said substrate compound or said inhibitor compound being labeled;

- detecting the presence of said substrate compound or of said inhibitor compound, which is an
35 indication of the presence of the NEP II polypeptide.

The term "labeled substrate compound" or "labeled inhibitor" is intended to mean a substrate compound or an inhibitor compound which is labeled in a detectable manner, for example with a group which is

radioactive, enzymatic, fluorogenic or fluorescent, etc.

The following examples illustrate the invention without limiting it.

5

EXAMPLE 1:

Cloning the cDNA encoding NEP II in rats

Degenerate oligonucleotides were obtained based on the alignment of the peptide sequences of the ECE, NEP I and Kell enzymes, and on the delimitation of the regions of strong homology.

The total RNA of various rat tissues (brain, intestine and testicles) was subjected to reverse transcription (RT) and amplified by polymerase chain reaction (PCR), using a pair of degenerate oligonucleotides, over the N-terminal region rich in cysteine residues:

The sequences of these degenerate oligonucleotides are as follows:

20 DCYS2 CCC AAG (G/T)CG (A/G)G(A/G) CTG GTC

DCYS3 T(A/T)(C/T) GC(A/C/T/G) GG(A/T) GG(A/C) TGG

This made it possible to amplify a 420-base pair fragment from the testicle RNAt, encoding an open reading frame which has 76% homology with the NEP I protein. This sequence was completed by 3' and 5' RACE (rapid amplification of cDNA ends), using RNAt from brain and from testicles. The sequences were confirmed by verifying five different clones for each tissue and each amplification. The complete cDNA (SEQ ID No. 1) was then cloned into the vectors PCR2.1 and pcDNA3.1 (Invitrogen).

30

EXAMPLE 2:

Characteristics of the rat NEP II polypeptide

35 The novel gene isolated encodes a 774-amino acid protein (SEQ ID No. 2) which, besides strong homologies with the NEP I, ECE and Kell enzymes (52%, 40% and 28% amino acid identity, respectively), has the consensus sequence of the HEXXH active site, a

transmembrane region (amino acids 24 to 40 in the
sequence SEQ ID No. 2) followed by four cysteine
residues which are characteristic of this family, and
seven potential glycosylation sites. Three alternative
5 splicings were identified by sequencing the RACE
products and by RT-PCR. One of these alternative
splicings eliminates a potential glycosylation site and
might affect the transit of the protein to the surface
of the cell, or its activity. Each splicing
10 corresponds, moreover, to an exon of NEP I, which
suggests a similar gene structure. These data
demonstrate that this novel enzyme belongs to the
family of ECE/NEP/Kell metalloproteases. Its notable
homology with NEP I led to it being named NEP II.

15 EXAMPLE 3:

Cloning the cDNA encoding NEP II in humans

In order to clone the human homologue of
NEP II, two oligonucleotides were designed, based on
20 the protein sequence of rat NEP II. The sequences were
chosen, on the one hand, for their low degeneracy (such
as, for example, a tryptophan, represented by a single
codon in the genetic code) and, on the other hand, for
their degree of conservation (such as the zinc binding
25 site).

1- (H)EITHFD (SEQ IDNo.28) or 5' - CGA GAT CAC ACA TGG CTT TGA
TGA - 3' (S) (SEQ IDNo.22)

2- QVWCGS (SEQ IDNo.29) or 5'- GGA CCC ACA CCA CAC CTG - 3' (AS)
(SEQ ID n°23)

A polymerase chain reaction was carried out on
human hippocampe cDNA obtained from a library
30 (Stratagene), and a 330-bp band was amplified,
subcloned and sequenced (SEQ ID No. 3). The sequence
obtained shows 82% sequence homology with rat NEP II,
which makes it possible to assert that it encodes the
human homologue.

The presence of the HEITH zinc binding site was confirmed by 5' RACE using the human-specific HNII-2 and HNII-3 oligonucleotides. Similarly, the HNII-1 and HNII-2 oligonucleotides will enable the amplification of the 3' region by the 3' RACE technique.

HNII-1 5'- CGG CCT GGA TCT CAC CCA TGA G - 3' (SEQ IDNo.24)

HNII-2 5'- CTG ACT GCT CCC GGA AGT GCT GGG TG - 3' (SEQ IDNo.25)

HNII-3 5'- GAG CAG CTC TTC TTC ATC - 3' (SEQ IDNo.26)

HNII-4 5'- CTC CAC CAA TCC ATC ATG TTG C - 3' (SEQ IDNo.27).

EXAMPLE 4:

10 **NEP II tissue expression**

Northern blot and RT-PCR studies show that NEP II is encoded by a 2.8-Kb transcript which is very highly expressed in rat testicles, and moderately expressed in the heart, the liver, the digestive system and the brain. Semi quantitative RT-PCR studies show a similar expression profile in these tissues and a predominance of the long forms.

15 All these characteristics indicate clearly that the protein identified for the first time is a membrane-bound metalloprotease (ectoprotease) responsible for the metabolism of neuronal and/or hormonal messenger peptides.

20 The native NEP II polypeptide is expressed in a heterogeneous manner in the nervous system, the glands (hypophyses, testicle), the digestive apparatus (small intestine in particular) and the cardiovascular system (heart in particular).

25 In situ hybridization techniques also indicate a high expression of the NEP II protein in neurons and adenohipophysial cells expressing the gene for POMC (propiomelanocortin), which is the precursor of ACTH.

30

These locations indicate the participation of NEP II in the proteolysis of hormones and of peptide neurotransmitters, or of their precursors, coming from or acting on these diverse organs. It consequently becomes advantageous, for therapeutic purposes, to affect the corresponding peptide transmissions by inhibiting NEP II.

CLAIMS

1. An isolated polypeptide comprising an amino acid sequence chosen from the sequence SEQ ID No. 2 or
5 SEQ ID No. 4, a sequence derived from or homologous to said sequence SEQ ID No. 2 or SEQ ID No. 4, and a biologically active fragment of said sequence SEQ ID No. 2 or SEQ ID No. 4, said isolated polypeptide being referred to as "NEP II".
- 10 2. An isolated nucleic acid comprising a nucleotide sequence chosen from the sequence SEQ ID No. 1 or SEQ ID No. 3, a sequence derived from or homologous to said sequence SEQ ID No. 1 or SEQ ID No. 3, and the complementary sequences thereof.
- 15 3. An oligonucleotide probe which hybridizes specifically with a nucleotide sequence as claimed in claim 2, said probe having a nucleotide sequence chosen from the sequences SEQ ID No. 5 to SEQ ID No. 27.
4. A cloning and/or expression vector containing a
20 nucleotide sequence as claimed in claim 2.
5. A host cell transfected with a vector as claimed in claim 4.
6. Mono- or polyclonal antibodies or their fragments, chimeric antibodies or immunoconjugates,
25 characterized in that they are obtained using a polypeptide as claimed in claim 1 administered to an animal, and are capable of recognizing specifically a polypeptide as claimed in claim 1.
7. A method for immunologically detecting NEP II
30 in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:
- bringing said cell or tissue sample, said cells or said tissue into contact with a detectable antibody as claimed in claim 6;
 - 35 - detecting the presence of said antibody, which is an indication of the presence of the NEP II polypeptide.

8. A method for detecting the expression of the NEP II polypeptide in a cell or tissue sample or in cells or a tissue, by *in situ* hybridization, comprising the steps consisting in:

5 - preparing the RNA of said sample or of said cells or of said tissue;

 - bringing said RNA obtained into contact with at least one probe having a nucleotide sequence which is capable of hybridizing specifically with a
10 nucleotide sequence as claimed in claim 2, said probe possibly being in particular an oligonucleotide probe as claimed in claim 3;

 - detecting the presence of mRNA hybridizing with said probe, which indicates the expression of the
15 NEP II polypeptide.

9. A method for identifying compounds which are substrates for the NEP II polypeptide as claimed in claim 1, in which said compounds, optionally labeled, are brought into contact with the NEP II polypeptide,
20 and the cleavage of said compounds by NEP II, which is an indication of the metalloprotease activity of NEP II toward said substrate compounds, is evaluated.

10. A method for detecting the metalloprotease activity of NEP II in a cell or tissue sample or in
25 cells or a tissue, comprising the steps consisting in:

 - bringing said cell or tissue sample, said cells or said tissue into contact with a compound which is a substrate for the NEP II polypeptide, obtained according to the method of claim 9, said substrate
30 compound being optionally labeled;

 - evaluating the cleavage of said substrate compound, which is an indication of the metalloprotease activity of NEP II.

11. A method for screening compounds which are
35 capable of inhibiting the metalloprotease activity of the NEP II polypeptide as claimed in claim 1, in which said compounds are brought into contact with said NEP II polypeptide and the degree of inhibition of the metalloprotease activity of NEP II is evaluated.

12. A method for detecting NEP II in a cell or tissue sample or in cells or a tissue, comprising the steps consisting in:

- bringing said cell or tissue sample, said
5 cells or said tissue into contact with a compound which is a substrate for the NEP II polypeptide, obtained according to the method of claim 9, or with a compound which is an inhibitor of the metalloprotease activity of NEP II, obtained according to the screening method
10 of claim 11, said substrate compound or said inhibitor compound being labeled;

- detecting the presence of said substrate compound or of said inhibitor compound, which is an indication of the presence of the NEP II polypeptide.

15 13. The use of the NEP II polypeptide as claimed in claim 1 for screening compounds which are inhibitors of the metalloprotease activity of NEP II, and which are useful for manufacturing a medicinal product intended for treating disorders involving the peptide
20 transmissions in which NEP II participates.

14. The use as claimed in claim 13, in which said disorders are chosen from cardiovascular and neurodegenerative diseases, growth disorders of endocrine origin, disturbances of the hypothalamo-
25 hypophysial axis and endocrine conditions.

DECLARATION FOR PATENT APPLICATION AND APPOINTMENT OF ATTORNEY

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name; I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention (Design, if applicable) entitled "Novel membrane-bound metalloprotease NEP II and the use thereof for screening inhibitors useful in therapy".

the specification of which (check one):

- ☐ is attached hereto.
- ☒ was filed on October 5, 2000 as Application Serial No 09/647,780 (if applicable).
and was amended on _____
- ☒ was filed on April 7, 1999 as International Application (PCT) No. PCT/FR99/00807 (if applicable).
and was amended on _____

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with *Title 37, Code of Federal Regulations, §1.56(a)*. I hereby claim foreign priority benefits under *Title 35, United States Code §119* of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

PRIOR FOREIGN APPLICATION(S)

PRIORITY CLAIMED

Number	Country	Day/Month/Year Filed	Yes	No
<u>98 04 389</u>	<u>FRANCE</u>	<u>April 8, 1998</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Number	Country	Day/Month/Year Filed	<input type="checkbox"/>	<input type="checkbox"/>
Number	Country	Day/Month/Year Filed	<input type="checkbox"/>	<input type="checkbox"/>
Number	Country	Day/Month/Year Filed	<input type="checkbox"/>	<input type="checkbox"/>

I hereby claim the benefit under *Title 35, United States Code, §120* of any United States application(s) or PCT international application(s) designating The United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of *Title 35, United States Code, §112*, I acknowledge the duty to disclose material information as defined in *Title 37, Code of Federal Regulations, §1.56(a)* which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application Number	Filing Date	Status - Patented, Pending or Abandoned
Application Number	Filing Date	Status - Patented, Pending or Abandoned

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under *section 1001 of rule 18 of the United States Code* and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: I (We) hereby appoint as my (our) attorneys, with full powers of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Andrew E. Taylor, P 000, Thomas P. Sarro 19396-Harold L. Novick 26011-Mark J. Gutttag 33057, Walter C. Gillis 22086, Ross Hunt Jr 25082, Douglas E. Jackson 28518, Daniel C. Mallery 33532, Marvin Petry 22752, William E. Jac 016, B. Aaron Schulman 31877


Telephone Calls to: 703 920 7200.

Send correspondence to:
LARSON and TAYLOR - Transpotomac Plaza - 1199 North Fairfax street, suite 900 - Alexandria
VIRGINIA 22314 - USA


☐ See following pages for additional joint inventors.

Full Name of First or Sole Inventor <u>OUMET Tanja</u>	Citizenship <u>CANADIAN</u>
Residence Address Street <u>3 rue Jules César</u>	Post Office Address Street
City <u>PARIS</u>	City
State or Country <u>FRANCE</u>	State or Country
Zip <u>75012</u>	Zip
DATE <u>2010 00</u>	SIGNATURE <u>Tanja Oumet</u>


20

Full Name of Joint Inventor Gros Claude	Citizenship French
Residence Address Street 31 rue de Flos	Post Office Address Street
City PARIS	City
State or Country FRANCE Zip FRX 75015	State or Country Zip
DATE October 30, 2000	SIGNATURE 


30

Full Name of Joint Inventor ROSE Christiane	Citizenship French
Residence Address Street 20 place Henri IV	Post Office Address Street
City Le Nesme St Denis	City
State or Country FRANCE Zip FRX 78320	State or Country Zip
DATE October 30, 2000	SIGNATURE 


40

Full Name of Joint Inventor BONHOMME Marie-Chantal	Citizenship CANADIAN
Residence Address Street 910 Lapointe	Post Office Address Street
City St-Laurent,	City
State or Country CANADA Zip P.Q. H4L 1J8	State or Country Zip
DATE October 30, 2000	SIGNATURE 

50

Full Name of Joint Inventor FACCHINETTI Patricia	Citizenship French
Residence Address Street 316 av. du gal de Gaulle	Post Office Address Street
City Le Plessis Ste Marie	City
State or Country FRANCE Zip FRX 94420	State or Country Zip
DATE October 30, 2000	SIGNATURE 

60

Full Name of Joint Inventor Schwartz Jean-Charles	Citizenship French
Residence Address Street 9, Villa Senzetti	Post Office Address Street
City PARIS	City
State or Country France Zip FRX 75014	State or Country Zip
DATE 30 oct. 2000	SIGNATURE 

SEQUENCE LISTING

<110> INSERM

5 <120> Novel membrane-bound NEP II metalloprotease and
the use thereof for screening inhibitors useful
in therapy

<130> BET 99/0150

10 <140>
<141>

<150> FR/9804389

15 <151> 1998-04-08

<160> 29

<170> PatentIn Ver. 2.1

20 <210> 1
<211> 2765
<212> DNA
<213> Rattus rattus

25 <220>
<221> CDS
<222> (107) ... (2428)

<400> 1
GCAAAGCACT AGCTTCAGTG TGCTCAAGGC ATCCAAGCTC CAGCTGCCTC CCTCCTGGCC 60
CTGGCCCTGG GTGCTCAGCT GTGTGCCTTC CACCCAGAAC CGGCTG ATG GGG AAG 115
Met Gly Lys
1
TCG GAG ASC TCA GTG GGG ATG ATG GAG AGA GCG GAC AAC TGT GGG AGG 163
Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn Cys Gly Arg
5 10 15
AGG CGC CTA GGC TTC GTG GAG TGT GGG-CTG CTG GTA CTG CTG ACA CTG 211
Arg Arg Leu Gly Phe Val Glu Cys Gly Leu Leu Val Leu Leu Thr Leu
20 25 30 35

CTG TTG ATG GGA GCC ATA GTG ACT CTG GGT GTC TTC TAC AGC ATA GGG Leu Leu Met-Gly Ala Ile Val Thr Leu Gly Val Phe Tyr Ser Ile Gly 40 45 50	259
AAG CAG CTG CCC CTC TTA AAT AGC CTG CTG CAC GTC TCC CGG CAT GAG Lys Gln Leu Pro Leu Leu Asn Ser Leu Leu His Val Ser Arg His Glu 55 60 65	307
AGG ACG GTT GTA AAA CGA GTC CTC AGA GAT TCA TCG CAG AAG AGT GAC Arg Thr Val Val Lys Arg Val Leu Arg Asp Ser Ser Gln Lys Ser Asp 70 75 80	355
ATC TGT ACT ACC CCA AGC TGC GTG ATA GCA GCT GCC AGA ATC CTC CAG Ile Cys Thr Thr Pro Ser Cys Val Ile Ala Ala Ala Arg Ile Leu Gln 85 90 95	403
AAC ATG GAC CAG TCA AAG AAA CCC TGC GAC AAC TTC TAT CAG TAT GCT Asn Met Asp Gln Ser Lys Lys Pro Cys Asp Asn Phe Tyr Gln Tyr Ala 100 105 110 115	451
TGC GGA GGC TGG CTA CGG CAC CAT GTG ATC CCC GAG ACC AAC TCC AGA Cys Gly Gly Trp Leu Arg His His Val Ile Pro Glu Thr Asn Ser Arg 120 125 130	499
TAC AGC GTC TTT GAC ATC CTT CGG GAT GAG CTG GAG GTC ATC CTC AAA Tyr Ser Val Phe Asp Ile Leu Arg Asp Glu Leu Glu Val Ile Leu Lys 135 140 145	547
GGG GTG CTG GAG GAT TCC TCT GTC CAG CAC CGC CCA GCT GTG GAG AAG Gly Val Leu Glu Asp Ser Ser Val Gln His Arg Pro Ala Val Glu Lys 150 155 160	595
GCC AAG ACA CTG TAC CGC TCC TGC ATG AAC CAG AGT GTG ATA GAG AAG Ala Lys Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys 165 170 175	643
AGA GAC TCT GAG CCC CTG CTG AAC GTC TTA GAT ATG ATA GGA GGT TGG Arg Asp Ser Glu Pro Leu Leu Asn Val Leu Asp Met Ile Gly Gly Trp 180 185 190 195	691
CCT GTA GCC ATG GAC AAG TGG AAT GAG ACC ATG GGC CCC AAG TGG GAA	739

Pro	Val	Ala	Met	Asp	Lys	Trp	Asn	Glu	Thr	Met	Gly	Pro	Lys	Trp	Glu		
				200					205					210			
CTG	GAG	CGG	CAG	TTG	GCT	GTG	TTG	AAC	TCG	CAG	TTC	AAC	AGG	CGC	GTC		787
Leu	Glu	Arg	Gln	Leu	Ala	Val	Leu	Asn	Ser	Gln	Phe	Asn	Arg	Arg	Val		
			215					220					225				
CTC	ATC	GAC	CTC	TTT	ATC	TGG	AAT	GAT	GAC	CAG	AAC	TCC	AGC	CGG	CAC		835
Leu	Ile	Asp	Leu	Phe	Ile	Trp	Asn	Asp	Asp	Gln	Asn	Ser	Ser	Arg	His		
		230					235					240					
GTC	ATC	TAC	ATA	GAC	CAG	CCC	ACC	TTG	GGC	ATG	CCC	TCC	CGG	GAG	TAC		883
Val	Ile	Tyr	Ile	Asp	Gln	Pro	Thr	Leu	Gly	Met	Pro	Ser	Arg	Glu	Tyr		
		245				250					255						
TAT	TTC	AAG	GAA	GAC	AGC	CAC	CGG	GTA	CGG	GAA	GCC	TAC	CTG	CAG	TTC		931
Tyr	Phe	Lys	Glu	Asp	Ser	His	Arg	Val	Arg	Glu	Ala	Tyr	Leu	Gln	Phe		
		260			265					270					275		
ATG	ACA	TCA	GTG	GCC	ACT	ATG	CTG	AGG	AGA	GAC	CTG	AAC	CTG	CCC	GGG		979
Met	Thr	Ser	Val	Ala	Thr	Met	Leu	Arg	Arg	Asp	Leu	Asn	Leu	Pro	Gly		
				280					285					290			
GAG	ACC	GAT	TTG	GTG	CAG	GAG	GAA	ATG	GCA	CAG	GTG	CTG	CAT	CTG	GAG		1027
Glu	Thr	Asp	Leu	Val	Gln	Glu	Glu	Met	Ala	Gln	Val	Leu	His	Leu	Glu		
			295					300					305				
ACA	CAT	CTG	GCC	AAC	GCC	ACG	GTC	CCC	CAG	GAG	AAA	AGG	CAT	GAT	GTC		1075
Thr	His	Leu	Ala	Asn	Ala	Thr	Val	Pro	Gln	Glu	Lys	Arg	His	Asp	Val		
		310					315					320					
ACC	GCC	CTG	TAT	CAC	CGA	ATG	GGC	CTG	GAG	GAG	CTG	CAG	GAA	AGG	TTT		1123
Thr	Ala	Leu	Tyr	His	Arg	Met	Gly	Leu	Glu	Glu	Leu	Gln	Glu	Arg	Phe		
		325				330					335						
GGT	CTG	AAG	GGG	TTT	AAC	TGG	ACT	CTC	TTC	ATA	CAA	AAC	GTG	CTG	TCT		1171
Gly	Leu	Lys	Gly	Phe	Asn	Trp	Thr	Leu	Phe	Ile	Gln	Asn	Val	Leu	Ser		
					345					350					355		
TCT	GTG	CAA	GTT	GAG	CTG	CTC	CCG	AAT	GAG	GAG	GTG	GTG	GTC	TAT	GGC		1219
Ser	Val	Gln	Val	Glu	Leu	Leu	Pro	Asn	Glu	Glu	Val	Val	Val	Tyr	Gly		
				360					365					370			

ATC Ile	CCC Pro	TAC Tyr	CTG Leu 375	GAG Glu	AAT Asn	CTT Leu	GAG Glu	GAG Glu 380	ATC Ile	ATT Ile	GAC Asp	GTC Val	TTC Phe 385	CCA Pro	GCA Ala	1267
CAG Gln	ACC Thr	TTG Leu 390	CAA Gln	AAC Asn	TAC Tyr	CTG Leu	GTG Val 395	TGG Trp	CGC Arg	CTG Leu	GTG Val	CTA Leu 400	GAT Asp	CGC Arg	ATC Ile	1315
GGC Gly 405	AGC Ser	CTG Leu	AGC Ser	CAG Gln	AGA Arg 410	TTC Phe 410	AAA Lys	GAA Glu	GCG Ala	CGT Arg 415	GTG Val 415	GAC Asp	TAC Tyr	CGC Arg	AAG Lys	1363
GCG Ala 420	CTG Leu	TAC Tyr	GGT Gly	ACA Thr 425	ACC Thr 425	ATG Met	GAG Glu	GAA Glu	GTA Val	CGC Arg 430	TGG Trp	CGG Arg	GAG Glu	TGT Cys 435	GTC Val 435	1411
AGC Ser	TAT Tyr	GTC Val	AAC Asn 440	AGC Ser	AAC Asn	ATG Met	GAG Glu	AGT Ser	GCC Ala 445	GTG Val	GGC Gly	TCC Ser	CTC Leu 450	TAC Tyr 450	ATC Ile 450	1459
AAG Lys	CGG Arg	GCC Ala 455	TTC Phe 455	TCC Ser	AAG Lys	GAC Asp	AGC Ser	AAG Lys 460	AGC Ser	ATA Ile	GTC Val	AGT Ser	GAG Glu 465	CTT Leu 465	ATC Ile 465	1507
GAG Glu	AAG Lys	ATA Ile 470	CGG Arg	TCC Ser	GTG Val	TTT Phe 475	GTG Val 475	GAT Asp	AAC Asn	CTG Leu	GAC Asp	GAG Glu 480	TTG Leu 480	AAC Asn	TGG Trp 480	1555
ATG Met 485	GAT Asp	GAG Glu	GAA Glu	TCC Ser	AAG Lys	AAA Lys 490	AAG Lys 490	GCC Ala	CAG Gln	GAA Glu	AAG Lys 495	GCC Ala	TTG Leu 495	AAT Asn	ATC Ile 495	1603
CGG Arg 500	GAA Glu	CAG Gln	ATC Ile	GGC Gly	TAC Tyr 505	CCT Pro	GAC Asp	TAC Tyr 510	ATT Ile	TTG Leu 510	GAA Glu	GAC Asp	AAT Asn 515	AAC Asn	AGA Arg 515	1651
CAC His	CTG Leu	GAT Asp	GAG Glu	GAA Glu 520	TAC Tyr 520	TCC Ser	AGT Ser	CTG Leu 525	ACT Thr 525	TTC Phe	TCA Ser	GAG Glu	GAC Asp 530	CTG Leu 530	TAT Tyr 530	1699
TTT	GAG	AAC	GGG	CTT	CAG	AAC	CTC	AAG	AAC	AAT	GCC	CAA	AGG	AGC	CTC	1747

Phe	Glu	Asn	Gly	Leu	Gln	Asn	Leu	Lys	Asn	Asn	Ala	Gln	Arg	Ser	Leu	
		-	535					540					545			
AAG	AAA	CTT	CGG	GAA	AAG	GTG	GAC	CAG	AAT	CTC	TGG	ATC	ATT	GGG	GCT	1795
Lys	Lys	Leu	Arg	Glu	Lys	Val	Asp	Gln	Asn	Leu	Trp	Ile	Ile	Gly	Ala	
		550					555					560				
GCA	GTG	GTC	AAT	GCA	TTC	TAC	TCC	CCA	AAC	AGA	AAC	CTG	ATC	GTC	TTT	1843
Ala	Val	Val	Asn	Ala	Phe	Tyr	Ser	Pro	Asn	Arg	Asn	Leu	Ile	Val	Phe	
	565					570					575					
CCA	GCG	GGG	ATC	CTC	CAG	CCA	CCC	TTC	TTC	AGC	AAG	GAC	CAA	CCA	CAG	1891
Pro	Ala	Gly	Ile	Leu	Gln	Pro	Pro	Phe	Phe	Ser	Lys	Asp	Gln	Pro	Gln	
580					585					590					595	
GCC	TTG	AAT	TTC	GGG	GGC	ATC	GGG	ATG	GTG	ATT	GGA	CAC	GAG	ATC	ACA	1939
Ala	Leu	Asn	Phe	Gly	Gly	Ile	Gly	Met	Val	Ile	Gly	His	Glu	Ile	Thr	
			600						605				610			
CAC	GGC	TTT	GAT	GAT	AAC	GGT	CGG	AAC	TTT	GAC	AAG	AAT	GGC	AAC	ATG	1987
His	Gly	Phe	Asp	Asp	Asn	Gly	Arg	Asn	Phe	Asp	Lys	Asn	Gly	Asn	Met	
		615						620					625			
CTG	GAC	TGG	TGG	AGC	AAC	TTC	TGG	GCC	CGG	CAC	TTC	CGA	CAG	CAG	TCA	2035
Leu	Asp	Trp	Trp	Ser	Asn	Phe	Ser	Ala	Arg	His	Phe	Arg	Gln	Gln	Ser	
		630					635					640				
CAG	TGT	ATG	ATT	TAT	CAG	TAC	AGC	AAC	TTC	TCT	TGG	GAA	CTA	GCA	GAC	2083
Gln	Cys	Met	Ile	Tyr	Gln	Tyr	Ser	Asn	Phe	Ser	Trp	Glu	Leu	Ala	Asp	
	645					650					655					
AAC	CAG	AAT	GTG	AAC	GGA	TTC	AGC	ACC	CTC	GGG	GAG	AAC	ATC	GCC	GAC	2131
Asn	Gln	Asn	Val	Asn	Gly	Phe	Ser	Thr	Leu	Gly	Glu	Asn	Ile	Ala	Asp	
660					665					670					675	
AAC	GGC	GGT	GTG	CGG	CAG	GCA	TAC	AAG	GCT	TAC	CTA	CAG	TGG	CTA	GCT	2179
Asn	Gly	Gly	Val	Arg	Gln	Ala	Tyr	Lys	Ala	Tyr	Leu	Gln	Trp	Leu	Ala	
			680					685					690			
GAA	GSC	GGC	AGA	GAC	CAG	AGA	CTG	CCG	GGA	CTG	AAC	CTG	ACC	TAT	GCT	2227
Glu	Gly	Gly	Arg	Asp	Gln	Arg	Leu	Pro	Gly	Leu	Asn	Leu	Thr	Tyr	Ala	
		695						700				705				

CAG CTT TTC TTC ATT AAC TAT GCC CAG GTG TGG TGT GGG TCC TAC AGG 2275
 Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg
 710 715 720

CCG GAG TTC GCC ATC CAG TCC ATC AAG ACA GAT GTC CAC AGT CCT CTT 2323
 Pro Glu Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu
 725 730 735

AAG TAC AGG GTG CTG GGC TCA CTA CAG AAC CTA CCA GGC TTC TCT GAG 2371
 Lys Tyr Arg Val Leu Gly Ser Leu Gln Asn Leu Pro Gly Phe Ser Glu
 740 745 750 755

GCG TTC CAC TGC CCA CGA GGC AGC CCC ATG CAC CCT ATG AAT CGA TGT 2419
 Ala Phe His Cys Pro Arg Gly Ser Pro Met His Pro Met Asn Arg Cys
 760 765 770

CGC ATC TGG TAGCCAAGGC TGAGCTATGC TGC GGCCAC GCCCGCCAC 2468
 Arg Ile Trp

CCAGAGGCTT CGTGAATGGT GTAGCCGGCA TAGATGTGCA GGTGTGTGCC TGAAGGCCAC 2528

TGGAGCCACC AGCCAGCCCT CCGCGCCCAG CCTAGAGGGC AGCCACCCGC CCACATCTGG 2588

GATGAGTGGT GGTGCCTGGT CCTGCGCCTT TTCCGGCCAG TGAGGGTCAG CGGCCCCGTA 2648

GGAGCAGTCA GCTGTCCCCC ACCCTCTTCA TAGTGTGTGG CTAAATGTCC TCGAGCTTCA 2708

GACTTGAGCT AAGTAAACGC TTCAAAGAAG GCAAAAAAAAA AAAAAAAAAA AAAAGGG 2765

<210> 2

<211> 774

5 <212> PRT

<213> Rattus rattus

<400> 2

Met Gly Lys Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn
 1 5 10 15

Cys	Gly	Arg	Arg	Leu	Gly	Phe	Val	Glu	Cys	Gly	Leu	Leu	Val	Leu	
		20					25						30		
Leu	Thr	Leu	Leu	Leu	Met	Gly	Ala	Ile	Val	Thr	Leu	Gly	Val	Phe	Tyr
		35					40					45			
Ser	Ile	Gly	Lys	Gln	Leu	Pro	Leu	Leu	Asn	Ser	Leu	Leu	His	Val	Ser
	50					55					60				
Arg	His	Glu	Arg	Thr	Val	Val	Lys	Arg	Val	Leu	Arg	Asp	Ser	Ser	Gln
	65				70					75					80
Lys	Ser	Asp	Ile	Cys	Thr	Thr	Pro	Ser	Cys	Val	Ile	Ala	Ala	Ala	Arg
				85					90						95
Ile	Leu	Gln	Asn	Met	Asp	Gln	Ser	Lys	Lys	Pro	Cys	Asp	Asn	Phe	Tyr
			100					105					110		
Gln	Tyr	Ala	Cys	Gly	Gly	Trp	Leu	Arg	His	His	Val	Ile	Pro	Glu	Thr
		115					120					125			
Asn	Ser	Arg	Tyr	Ser	Val	Phe	Asp	Ile	Leu	Arg	Asp	Glu	Leu	Glu	Val
	130					135					140				
Ile	Leu	Lys	Gly	Val	Leu	Glu	Asp	Ser	Ser	Val	Gln	His	Arg	Pro	Ala
	145				150					155					160
Val	Glu	Lys	Ala	Lys	Thr	Leu	Tyr	Arg	Ser	Cys	Met	Asn	Gln	Ser	Val
				165					170					175	
Ile	Glu	Lys	Arg	Asp	Ser	Glu	Pro	Leu	Leu	Asn	Val	Leu	Asp	Met	Ile
			180					185					190		
Gly	Gly	Trp	Pro	Val	Ala	Met	Asp	Lys	Trp	Asn	Glu	Thr	Met	Gly	Pro
		195					200					205			
Lys	Trp	Glu	Leu	Glu	Arg	Gln	Leu	Ala	Val	Leu	Asn	Ser	Gln	Phe	Asn
	210					215					220				
Arg	Arg	Val	Leu	Ile	Asp	Leu	Phe	Ile	Trp	Asn	Asp	Asp	Gln	Asn	Ser
	225				230					235					240

Ser	Arg	His	Val	Ile	Tyr	Ile	Asp	Gln	Pro	Thr	Leu	Gly	Met	Pro	Ser	245	250	255
Arg	Glu	Tyr	Tyr	Phe	Lys	Glu	Asp	Ser	His	Arg	Val	Arg	Glu	Ala	Tyr	260	265	270
Leu	Gln	Phe	Met	Thr	Ser	Val	Ala	Thr	Met	Leu	Arg	Arg	Asp	Leu	Asn	275	280	285
Leu	Pro	Gly	Glu	Thr	Asp	Leu	Val	Gln	Glu	Glu	Met	Ala	Gln	Val	Leu	290	295	300
His	Leu	Glu	Thr	His	Leu	Ala	Asn	Ala	Thr	Val	Pro	Gln	Glu	Lys	Arg	305	310	315
His	Asp	Val	Thr	Ala	Leu	Tyr	His	Arg	Met	Gly	Leu	Glu	Glu	Leu	Gln	325	330	335
Glu	Arg	Phe	Gly	Leu	Lys	Gly	Phe	Asn	Trp	Thr	Leu	Phe	Ile	Gln	Asn	340	345	350
Val	Leu	Ser	Ser	Val	Gln	Val	Glu	Leu	Leu	Pro	Asn	Glu	Glu	Val	Val	355	360	365
Val	Tyr	Gly	Ile	Pro	Tyr	Leu	Glu	Asn	Leu	Glu	Glu	Ile	Ile	Asp	Val	370	375	380
Phe	Pro	Ala	Gln	Thr	Leu	Gln	Asn	Tyr	Leu	Val	Trp	Arg	Leu	Val	Leu	385	390	395
Asp	Arg	Ile	Gly	Ser	Leu	Ser	Gln	Arg	Phe	Lys	Glu	Ala	Arg	Val	Asp	405	410	415
Tyr	Arg	Lys	Ala	Leu	Tyr	Gly	Thr	Thr	Met	Glu	Glu	Val	Arg	Trp	Arg	420	425	430
Glu	Cys	Val	Ser	Tyr	Val	Asn	Ser	Asn	Met	Glu	Ser	Ala	Val	Gly	Ser	435	440	445
Leu	Tyr	Ile	Lys	Arg	Ala	Phe	Ser	Lys	Asp	Ser	Lys	Ser	Ile	Val	Ser	450	455	460

[illegible]

<210> 3
 <211> 327
 <212> DNA
 5 <213> Homo sapiens

<400> 3
 GGGCACGAGA TCACGCACGG CTTTGATGAC AATGGCCGGA ACTTCGACAA GAATGGCAAC 60
 ATGATGGATT GGTGGAGTAA CTTCTCCACC CAGCACTTCC GGGAGCAGTC AGAGTGCATG 120
 ATCTACCACT ACGGCAACTA CTCCTGGGAC CTGGCAGACG AACAGAACGT GAACGGATTG 180
 AACACCCCTTG GGGAAAACAT TGCTGACAAC GGAGGGGTGC GGCAAGCCTA TAAGGCCTAC 240
 CTCAAGTGGG TGGCAGAGGG TGGCAAGGAC CAGCAGCTGC CCGGCCTGGA TCTCACCCAT 300
 GAGCAGCTCT TCTTCATCAA CTATGCC 327

10 <210> 4
 <211> 116
 <212> PRT
 <213> Homo sapiens

<400> 4
 Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn Phe Asp
 1 5 10 15
 Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser Thr Gln His
 20 25 30
 Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly Asn Tyr Ser
 35 40 45
 Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn Thr Leu Gly
 50 55 60
 Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr
 65 70 75 80
 Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu Pro Gly Leu
 85 90 95
 Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp
 100 105 110
 Cys Gly Cys Lys
 115

15 <210> 5
 <211> 20
 <212> DNA

<213> artificial sequence
 <223> oligonucleotide

<400> 5
 TGGAGCGGCA GTTGGCTGTG

20

5 <210> 6
 <211> 21
 <212> DNA
 <213> artificial sequence
 <223> oligonucleotide

10

<400> 6
 AGTTCCCACT TGGGGCCCAT G

21

<210> 7
 <211> 20
 15 <212> DNA
 <213> artificial sequence
 <223> oligonucleotide

<400> 7
 GCTGGAGGAT TCCTCTGTCC

20

20

<210> 8
 <211> 19
 <212> DNA
 <213> artificial sequence
 25 <223> oligonucleotide

<400> 8
 CGGGGATCAC ATGGTGCCG

19

<210> 9
 30 <211> 21
 <212> DNA
 <213> artificial sequence
 <223> oligonucleotide

<400> 9
 CTACCCCAAG CTGCGTGATA G

21

35

<400> 10
CGGCACCATG TGATCCCCGA G

21

	<210>	11
10	<211>	22
	<212>	DNA
	<213>	artificial sequence
	<223>	oligonucleotide

15 <400> 11
GCAAAGCACT AGCTTCAGTG TG

22

	<210>	12
	<211>	22
	<212>	DNA
20	<213>	artificial sequence
	<223>	oligonucleotide

<400> 12
GGTCATCATT CCAGATGAAG AG

22

```

25  <210>    13
      <211>    20
      <212>    DNA
      <213>    artificial sequence
      <223>    oligonucleotide

```

30
 <400> 13
 CGATGAGGAC GCGCCTGTTG

20

	<210>	14
	<211>	20
35	<212>	DNA
	<213>	artificial sequence

<223> oligonucleotide

<400> 14

TGCAGGAAAG GTTTGGTCTG

20

5 <210> 15

<211> 20

<212> DNA

<213> artificial sequence

<223> oligonucleotide

10

<400> 15

GAACGCCTCA GAGAAGCCTG

20

<210> 16

<211> 20

15 <212> DNA

<213> artificial sequence

<223> oligonucleotide

<400> 16

ATGACCAGAA CTCCAGCCGG

20

20

<210> 17

<211> 21

<212> DNA

<213> artificial sequence

25 <223> oligonucleotide

<400> 17

CATCATGCTT TTTCTCCTGG G

21

<210> 18

30 <211> 21

<212> DNA

<213> artificial sequence

<223> oligonucleotide

<400> 18

CCCGAAGTTT CTTGAGGCTC C

21

35

5

19

10

19

20

20

25

24

35

<223> oligonucleotide

<400> 23

ggacccacac cacacctg

18

5 <210> 24

<211> 22

<212> DNA

<213> artificial sequence

<223> oligonucleotide

10

<400> 24

cggcctggat ctcacccatg ag

22

<210> 25

<211> 26

15 <212> DNA

<213> artificial sequence

<223> oligonucleotide

<400> 25

ctgactgctc ccggaagtgc tgggtg

26

20

<210> 26

<211> 18

<212> DNA

<213> artificial sequence

25 <223> oligonucleotide

<400> 26

gagcagctct tcttcac

18

<210> 27

30 <211> 22

<212> DNA

<213> artificial sequence

<223> oligonucleotide

<400> 27

ctccaccaat ccatcatgtt gc

22

35

<210> 28
 <211> 6
 <212> PRT
 <213> artificial sequence
 5 <223> protein sequence corresponding to the
 oligonucleotide probe SEQ ID No. 22

<400> 28
 Glu Ile Thr His Phe Asp
 1 5

10 <210> 29
 <211> 6
 <212> PRT
 <213> artificial sequence
 <223> protein sequence corresponding to the
 15 oligonucleotide probe SEQ ID No. 23

<400> 29
 Gln Val Trp Cys Gly Ser

SEQUENCE LISTING

<110> OUIMET et al.

<120> Novel membrane-bound metalloprotease NEP II and the use thereof for screening inhibitors useful in therapy

<130> P06910US0/BAS

<140>

<141>

<150> PCT/FR99/00807

<151> 1999-04-07

<150> FR/9804389

<151> 1998-04-08

<160> 29

<170> PatentIn Ver. 2.1

<210> 1

<211> 2765

<212> DNA

<213> Rattus rattus

<220>

<221> CDS

<222> (107) ... (2428)

<400> 1

GCAAAGCACT AGCTTCAGTG TGCTCAAGGC ATCCAAGCTC CAGCTGCCTC CCTCCTGGCC 60

CTGGCCCTGG GTGCTCAGCT GTGTGCCTTC CACCCAGAAC CGGCTG ATG GGG AAG 115
Met Gly Lys
1

TCG GAG AGC TCA GTG GGG ATG ATG GAG AGA GCG GAC AAC TGT GGG AGG 163
Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn Cys Gly Arg
5 10 15

AGG CGC CTA GGC TTC GTG GAG TGT GGG CTG CTG GTA CTG CTG ACA CTG 211
Arg Arg Leu Gly Phe Val Glu Cys Gly Leu Leu Val Leu Leu Thr Leu
20 25 30 35

CTG TTG ATG GGA GCC ATA GTG ACT CTG GGT GTC TTC TAC AGC ATA GGG 259
Leu Leu Met Gly Ala Ile Val Thr Leu Gly Val Phe Tyr Ser Ile Gly
40 45 50

AAG CAG CTG CCC CTC TTA AAT AGC CTG CTG CAC GTC TCC CGG CAT GAG 307
Lys Gln Leu Pro Leu Leu Asn Ser Leu Leu His Val Ser Arg His Glu
55 60 65

AGG ACG GTT GTA AAA CGA GTC CTC AGA GAT TCA TCG CAG AAG AGT GAC 355
Arg Thr Val Val Lys Arg Val Leu Arg Asp Ser Ser Gln Lys Ser Asp
70 75 80

ATC TGT ACT ACC CCA AGC TGC GTG ATA GCA GCT GCC AGA ATC CTC CAG	403
Ile Cys Thr Thr Pro Ser Cys Val Ile Ala Ala Ala Arg Ile Leu Gln	
85 90 95	
AAC ATG GAC CAG TCA AAG AAA CCC TGC GAC AAC TTC TAT CAG TAT GCT	451
Asn Met Asp Gln Ser Lys Lys Pro Cys Asp Asn Phe Tyr Gln Tyr Ala	
100 105 110 115	
TGC GGA GGC TGG CTA CGG CAC CAT GTG ATC CCC GAG ACC AAC TCC AGA	499
Cys Gly Gly Trp Leu Arg His His Val Ile Pro Glu Thr Asn Ser Arg	
120 125 130	
TAC AGC GTC TTT GAC ATC CTT CGG GAT GAG CTG GAG GTC ATC CTC AAA	547
Tyr Ser Val Phe Asp Ile Leu Arg Asp Glu Leu Glu Val Ile Leu Lys	
135 140 145	
GGG GTG CTG GAG GAT TCC TCT GTC CAG CAC CGC CCA GCT GTG GAG AAG	595
Gly Val Leu Glu Asp Ser Ser Val Gln His Arg Pro Ala Val Glu Lys	
150 155 160	
GCC AAG ACA CTG TAC CGC TCC TGC ATG AAC CAG AGT GTG ATA GAG AAG	643
Ala Lys Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys	
165 170 175	
AGA GAC TCT GAG CCC CTG CTG AAC GTC TTA GAT ATG ATA GGA GGT TGG	691
Arg Asp Ser Glu Pro Leu Leu Asn Val Leu Asp Met Ile Gly Gly Trp	
180 185 190 195	
CCT GTA GCC ATG GAC AAG TGG AAT GAG ACC ATG GGC CCC AAG TGG GAA	739
Pro Val Ala Met Asp Lys Trp Asn Glu Thr Met Gly Pro Lys Trp Glu	
200 205 210	
CTG GAG CGG CAG TTG GCT GTG TTG AAC TCG CAG TTC AAC AGG CGC GTC	787
Leu Glu Arg Gln Leu Ala Val Leu Asn Ser Gln Phe Asn Arg Arg Val	
215 220 225	
CTC ATC GAC CTC TTC ATC TGG AAT GAT GAC CAG AAC TCC AGC CGG CAC	835
Leu Ile Asp Leu Phe Ile Trp Asn Asp Asp Gln Asn Ser Ser Arg His	
230 235 240	
GTC ATC TAC ATA GAC CAG CCC ACC TTG GGC ATG CCC TCC CGG GAG TAC	883
Val Ile Tyr Ile Asp Gln Pro Thr Leu Gly Met Pro Ser Arg Glu Tyr	
245 250 255	
TAT TTC AAG GAA GAC AGC CAC CGG GTA CGG GAA GCC TAC CTG CAG TTC	931
Tyr Phe Lys Glu Asp Ser His Arg Val Arg Glu Ala Tyr Leu Gln Phe	
260 265 270 275	
ATG ACA TCA GTG GCC ACT ATG CTG AGG AGA GAC CTG AAC CTG CCC GGG	979
Met Thr Ser Val Ala Thr Met Leu Arg Arg Asp Leu Asn Leu Pro Gly	
280 285 290	
GAG ACC GAT TTG GTG CAG GAG GAA ATG GCA CAG GTG CTG CAT CTG GAG	1027
Glu Thr Asp Leu Val Gln Glu Glu Met Ala Gln Val Leu His Leu Glu	
295 300 305	
ACA CAT CTG GCC AAC GCC ACG GTC CCC CAG GAG AAA AGG CAT GAT GTC	1075

Thr	His	Leu	Ala	Asn	Ala	Thr	Val	Pro	Gln	Glu	Lys	Arg	His	Asp	Val		
		310					315					320					
ACC	GCC	CTG	TAT	CAC	CGA	ATG	GGC	CTG	GAG	GAG	CTG	CAG	GAA	AGG	TTT	1123	
Thr	Ala	Leu	Tyr	His	Arg	Met	Gly	Leu	Glu	Glu	Leu	Gln	Glu	Arg	Phe		
	325					330					335						
GGT	CTG	AAG	GGG	TTT	AAC	TGG	ACT	CTC	TTC	ATA	CAA	AAC	GTG	CTG	TCT	1171	
Gly	Leu	Lys	Gly	Phe	Asn	Trp	Thr	Leu	Phe	Ile	Gln	Asn	Val	Leu	Ser		
340					345					350					355		
TCT	GTG	CAA	GTT	GAG	CTG	CTC	CCG	AAT	GAG	GAG	GTG	GTG	GTC	TAT	GGC	1219	
Ser	Val	Gln	Val	Glu	Leu	Leu	Pro	Asn	Glu	Glu	Val	Val	Val	Tyr	Gly		
				360					365					370			
ATC	CCC	TAC	CTG	GAG	AAT	CTT	GAG	GAG	ATC	ATT	GAC	GTC	TTC	CCA	GCA	1267	
Ile	Pro	Tyr	Leu	Glu	Asn	Leu	Glu	Glu	Ile	Ile	Asp	Val	Phe	Pro	Ala		
			375					380						385			
CAG	ACC	TTG	CAA	AAC	TAC	CTG	GTG	TGG	CGC	CTG	GTG	CTA	GAT	CGC	ATC	1315	
Gln	Thr	Leu	Gln	Asn	Tyr	Leu	Val	Trp	Arg	Leu	Val	Leu	Asp	Arg	Ile		
		390					395					400					
GGC	AGC	CTG	AGC	CAG	AGA	TTC	AAA	GAA	GCG	CGT	GTG	GAC	TAC	CGC	AAG	1363	
Gly	Ser	Leu	Ser	Gln	Arg	Phe	Lys	Glu	Ala	Arg	Val	Asp	Tyr	Arg	Lys		
	405					410					415						
GCG	CTG	TAC	GGT	ACA	ACC	ATG	GAG	GAA	GTA	CGC	TGG	CGG	GAG	TGT	GTC	1411	
Ala	Leu	Tyr	Gly	Thr	Thr	Met	Glu	Glu	Val	Arg	Trp	Arg	Glu	Cys	Val		
420					425					430					435		
AGC	TAT	GTC	AAC	AGC	AAC	ATG	GAG	AGT	GCC	GTG	GGC	TCC	CTC	TAC	ATC	1459	
Ser	Tyr	Val	Asn	Ser	Asn	Met	Glu	Ser	Ala	Val	Gly	Ser	Leu	Tyr	Ile		
				440					445					450			
AAG	CGG	GCC	TTC	TCC	AAG	GAC	AGC	AAG	AGC	ATA	GTC	AGT	GAG	CTT	ATC	1507	
Lys	Arg	Ala	Phe	Ser	Lys	Asp	Ser	Lys	Ser	Ile	Val	Ser	Glu	Leu	Ile		
			455					460					465				
GAG	AAG	ATA	CGG	TCC	GTG	TTT	GTG	GAT	AAC	CTG	GAC	GAG	TTG	AAC	TGG	1555	
Glu	Lys	Ile	Arg	Ser	Val	Phe	Val	Asp	Asn	Leu	Asp	Glu	Leu	Asn	Trp		
		470					475					480					
ATG	GAT	GAG	GAA	TCC	AAG	AAA	AAG	GCC	CAG	GAA	AAG	GCC	TTG	AAT	ATC	1603	
Met	Asp	Glu	Glu	Ser	Lys	Lys	Lys	Ala	Gln	Glu	Lys	Ala	Leu	Asn	Ile		
	485					490					495						
CGG	GAA	CAG	ATC	GGC	TAC	CCT	GAC	TAC	ATT	TTG	GAA	GAC	AAT	AAC	AGA	1651	
Arg	Glu	Gln	Ile	Gly	Tyr	Pro	Asp	Tyr	Ile	Leu	Glu	Asp	Asn	Asn	Arg		
500					505					510					515		
CAC	CTG	GAT	GAG	GAA	TAC	TCC	AGT	CTG	ACT	TTC	TCA	GAG	GAC	CTG	TAT	1699	
His	Leu	Asp	Glu	Glu	Tyr	Ser	Ser	Leu	Thr	Phe	Ser	Glu	Asp	Leu	Tyr		
				520					525					530			
TTT	GAG	AAC	GGG	CTT	CAG	AAC	CTC	AAG	AAC	AAT	GCC	CAA	AGG	AGC	CTC	1747	
Phe	Glu	Asn	Gly	Leu	Gln	Asn	Leu	Lys	Asn	Asn	Ala	Gln	Arg	Ser	Leu		

1123 1171 1219 1267 1315 1363 1411 1459 1507 1555 1603 1651 1699 1747

535										540										545										
AAG	AAA	CTT	CGG	GAA	AAG	GTG	GAC	CAG	AAT	CTC	TGG	ATC	ATT	GGG	GCT	1795														
Lys	Lys	Leu	Arg	Glu	Lys	Val	Asp	Gln	Asn	Leu	Trp	Ile	Ile	Gly	Ala															
550					555					560																				
GCA	GTG	GTC	AAT	GCA	TTC	TAC	TCC	CCA	AAC	AGA	AAC	CTG	ATC	GTC	TTT	1843														
Ala	Val	Val	Asn	Ala	Phe	Tyr	Ser	Pro	Asn	Arg	Asn	Leu	Ile	Val	Phe															
565					570					575																				
CCA	GCG	GGG	ATC	CTC	CAG	CCA	CCC	TTC	TTC	AGC	AAG	GAC	CAA	CCA	CAG	1891														
Pro	Ala	Gly	Ile	Leu	Gln	Pro	Pro	Phe	Phe	Ser	Lys	Asp	Gln	Pro	Gln															
580					585					590					595															
GCC	TTG	AAT	TTC	GGG	GGC	ATC	GGG	ATG	GTG	ATT	GGA	CAC	GAG	ATC	ACA	1939														
Ala	Leu	Asn	Phe	Gly	Gly	Ile	Gly	Met	Val	Ile	Gly	His	Glu	Ile	Thr															
600					605					610																				
CAC	GGC	TTT	GAT	GAT	AAC	GGT	CGG	AAC	TTT	GAC	AAG	AAT	GGC	AAC	ATG	1987														
His	Gly	Phe	Asp	Asp	Asn	Gly	Arg	Asn	Phe	Asp	Lys	Asn	Gly	Asn	Met															
615					620					625																				
CTG	GAC	TGG	TGG	AGC	AAC	TTC	TCG	GCC	CGG	CAC	TTC	CGA	CAG	CAG	TCA	2035														
Leu	Asp	Trp	Trp	Ser	Asn	Phe	Ser	Ala	Arg	His	Phe	Arg	Gln	Gln	Ser															
630					635					640																				
CAG	TGT	ATG	ATT	TAT	CAG	TAC	AGC	AAC	TTC	TCT	TGG	GAA	CTA	GCA	GAC	2083														
Gln	Cys	Met	Ile	Tyr	Gln	Tyr	Ser	Asn	Phe	Ser	Trp	Glu	Leu	Ala	Asp															
645					650					655																				
AAC	CAG	AAT	GTG	AAC	GGA	TTC	AGC	ACC	CTC	GGG	GAG	AAC	ATC	GCC	GAC	2131														
Asn	Gln	Asn	Val	Asn	Gly	Phe	Ser	Thr	Leu	Gly	Glu	Asn	Ile	Ala	Asp															
660					665					670					675															
AAC	GGC	GGT	GTG	CGG	CAG	GCA	TAC	AAG	GCT	TAC	CTA	CAG	TGG	CTA	GCT	2179														
Asn	Gly	Gly	Val	Arg	Gln	Ala	Tyr	Lys	Ala	Tyr	Leu	Gln	Trp	Leu	Ala															
680					685					690																				
GAA	GGC	GGC	AGA	GAC	CAG	AGA	CTG	CCG	GGA	CTG	AAC	CTG	ACC	TAT	GCT	2227														
Glu	Gly	Gly	Arg	Asp	Gln	Arg	Leu	Pro	Gly	Leu	Asn	Leu	Thr	Tyr	Ala															
695					700					705																				
CAG	CTT	TTC	TTC	ATT	AAC	TAT	GCC	CAG	GTG	TGG	TGT	GGG	TCC	TAC	AGG	2275														
Gln	Leu	Phe	Phe	Ile	Asn	Tyr	Ala	Gln	Val	Trp	Cys	Gly	Ser	Tyr	Arg															
710					715					720																				
CCG	GAG	TTC	GCC	ATC	CAG	TCC	ATC	AAG	ACA	GAT	GTC	CAC	AGT	CCT	CTT	2323														
Pro	Glu	Phe	Ala	Ile	Gln	Ser	Ile	Lys	Thr	Asp	Val	His	Ser	Pro	Leu															
725					730					735																				
AAG	TAC	AGG	GTG	CTG	GGC	TCA	CTA	CAG	AAC	CTA	CCA	GGC	TTC	TCT	GAG	2371														
Lys	Tyr	Arg	Val	Leu	Gly	Ser	Leu	Gln	Asn	Leu	Pro	Gly	Phe	Ser	Glu															
740					745					750					755															
GCG	TTC	CAC	TGC	CCA	CGA	GGC	AGC	CCC	ATG	CAC	CCT	ATG	AAT	CGA	TGT	2419														
Ala	Phe	His	Cys	Pro	Arg	Gly	Ser	Pro	Met	His	Pro	Met	Asn	Arg	Cys															
760					765					770																				

CGC ATC TGG TAGCCAAGGC TGAGCTATGC TGCGGCCAC GCCCCGCCAC 2468
Arg Ile Trp

CCAGAGGCTT CGTGAATGGT GTAGCCGGCA TAGATGTGCA GGTGTGTGCC TGAAGGCCAC 2528

TGGAGCCACC AGCCAGCCCT CCGCGCCCAG CCTAGAGGGC AGCCACCCGC CCACATCTGG 2588

GATGAGTGGT GGTGCCTGGT CCTGCGCCTT TTCCGGCCAG TGAGGGTCAG CGGCCCCGGTA 2648

GGAGCAGTCA GCTGTCCCCC ACCCTCTTCA TAGTGTGTGG CTAAATGTCC TCGAGCTTCA 2708

GACTTGAGCT AAGTAAACGC TTCAAAGAAG GCAAAAAAAAA AAAAAAAAAA AAAAGGG 2765

<210> 2

<211> 774

<212> PRT

<213> Rattus rattus

<400> 2

Met Gly Lys Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn
1 5 10 15

Cys Gly Arg Arg Arg Leu Gly Phe Val Glu Cys Gly Leu Leu Val Leu
20 25 30

Leu Thr Leu Leu Leu Met Gly Ala Ile Val Thr Leu Gly Val Phe Tyr
35 40 45

Ser Ile Gly Lys Gln Leu Pro Leu Leu Asn Ser Leu Leu His Val Ser
50 55 60

Arg His Glu Arg Thr Val Val Lys Arg Val Leu Arg Asp Ser Ser Gln
65 70 75 80

Lys Ser Asp Ile Cys Thr Thr Pro Ser Cys Val Ile Ala Ala Ala Arg
85 90 95

Ile Leu Gln Asn Met Asp Gln Ser Lys Lys Pro Cys Asp Asn Phe Tyr
100 105 110

Gln Tyr Ala Cys Gly Gly Trp Leu Arg His His Val Ile Pro Glu Thr
115 120 125

Asn Ser Arg Tyr Ser Val Phe Asp Ile Leu Arg Asp Glu Leu Glu Val
130 135 140

Ile Leu Lys Gly Val Leu Glu Asp Ser Ser Val Gln His Arg Pro Ala
145 150 155 160

Val Glu Lys Ala Lys Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val
165 170 175

Ile Glu Lys Arg Asp Ser Glu Pro Leu Leu Asn Val Leu Asp Met Ile

485

490

495

Leu Asn Ile Arg Glu Gln Ile Gly Tyr Pro Asp Tyr Ile Leu Glu Asp
 500 505 510
 Asn Asn Arg His Leu Asp Glu Glu Tyr Ser Ser Leu Thr Phe Ser Glu
 515 520 525
 Asp Leu Tyr Phe Glu Asn Gly Leu Gln Asn Leu Lys Asn Asn Ala Gln
 530 535 540
 Arg Ser Leu Lys Lys Leu Arg Glu Lys Val Asp Gln Asn Leu Trp Ile
 545 550 555 560
 Ile Gly Ala Ala Val Val Asn Ala Phe Tyr Ser Pro Asn Arg Asn Leu
 565 570 575
 Ile Val Phe Pro Ala Gly Ile Leu Gln Pro Pro Phe Phe Ser Lys Asp
 580 585 590
 Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile Gly Met Val Ile Gly His
 595 600 605
 Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn Phe Asp Lys Asn
 610 615 620
 Gly Asn Met Leu Asp Trp Trp Ser Asn Phe Ser Ala Arg His Phe Arg
 625 630 635 640
 Gln Gln Ser Gln Cys Met Ile Tyr Gln Tyr Ser Asn Phe Ser Trp Glu
 645 650 655
 Leu Ala Asp Asn Gln Asn Val Asn Gly Phe Ser Thr Leu Gly Glu Asn
 660 665 670
 Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Gln
 675 680 685
 Trp Leu Ala Glu Gly Gly Arg Asp Gln Arg Leu Pro Gly Leu Asn Leu
 690 695 700
 Thr Tyr Ala Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly
 705 710 715 720
 Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His
 725 730 735
 Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser Leu Gln Asn Leu Pro Gly
 740 745 750
 Phe Ser Glu Ala Phe His Cys Pro Arg Gly Ser Pro Met His Pro Met
 755 760 765
 Asn Arg Cys Arg Ile Trp
 770

<210> 3

<211> 327
 <212> DNA
 <213> Homo sapiens

<400> 3
 GGGCAGGAGA TCACGCACGG CTTTGATGAC AATGGCCGGA ACTTCGACAA GAATGGCAAC 60
 ATGATGGATT GGTGGAGTAA CTTCTCCACC CAGCACTTCC GGGAGCAGTC AGAGTGCATG 120
 ATCTACCAGT ACGGCAACTA CTCCTGGGAC CTGGCAGACG AACAGAACGT GAACGGATTC 180
 AACACCCCTTG GGGAAAACAT TGCTGACAAC GGAGGGGTGC GGCAAGCCTA TAAGGCCTAC 240
 CTCAAGTGGG TGGCAGAGGG TGGCAAGGAC CAGCAGCTGC CCGGCCTGGA TCTCACCCTAT 300
 GAGCAGCTCT TCTTCATCAA CTATGCC 327

<210> 4
 <211> 116
 <212> PRT
 <213> Homo sapiens

<400> 4
 Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn Phe Asp
 1 5 10 15
 Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser Thr Gln His
 20 25 30
 Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly Asn Tyr Ser
 35 40 45
 Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn Thr Leu Gly
 50 55 60
 Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr
 65 70 75 80
 Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu Pro Gly Leu
 85 90 95
 Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp
 100 105 110
 Cys Gly Cys Lys
 115

<210> 5
 <211> 20
 <212> DNA
 <213> artificial sequence
 <223> oligonucleotide

<400> 5
 TGGAGCGGCA GTTGGCTGTG

<210> 6
<211> 21
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 6
AGTTCCCACT TGGGGCCCAT G

21

<210> 7
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 7
GCTGGAGGAT TCCTCTGTCC

20

<210> 8
<211> 19
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 8
CGGGGATCAC ATGGTGCCG

19

<210> 9
<211> 21
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 9
CTACCCCAAG CTGCGTGATA G

21

<210> 10
<211> 21
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 10
CGGCACCATG TGATCCCCGA G

21

<210> 11
<211> 22
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 11
GCAAAGCACT AGCTTCAGTG TG

22

<210> 12
<211> 22
<212> DNA

<213> artificial sequence
<223> oligonucleotide

<400> 12
GGTCATCATT CCAGATGAAG AG

22

<210> 13
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 13
CGATGAGGAC GCGCCTGTTG

20

<210> 14
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 14
TGCAGGAAAG GTTTGGTCTG

20

<210> 15
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 15
GAACGCCTCA GAGAAGCCTG

20

<210> 16
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 16
ATGACCAGAA CTCCAGCCGG

20

<210> 17
<211> 21
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 17
CATCATGCTT TTTCTCCTGG G

21

<210> 18
<211> 21
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 18
CCCGAAGTTT CTTGAGGCTC C 21

<210> 19
<211> 19
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 19
GATCGGCTAC CCTGACTAC 19

<210> 20
<211> 19
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 20
GTTCGCCATC CAGTCCATC 19

<210> 21
<211> 20
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 21
CGAAGCCTAG GCGCCTCCTC 20

<210> 22
<211> 24
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 22
cgagatcaca catggctttg atga 24

<210> 23
<211> 18
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 23
ggacccacac cacacctg 18

<210> 24
<211> 22
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 24
cggcctggat ctcacccatg ag 22

<210> 25
<211> 26
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 25
ctgactgctc ccggaagtgc tgggtg 26

<210> 26
<211> 18
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 26
gagcagctct tcttcac 18

<210> 27
<211> 22
<212> DNA
<213> artificial sequence
<223> oligonucleotide

<400> 27
ctccaccaat ccatcatggt gc 22

<210> 28
<211> 6
<212> PRT
<213> artificial sequence
<223> protein sequence corresponding to the oligonucleotide probe SEQ ID No. 22
<400> 28
Glu Ile Thr His Phe Asp
1 5

<210> 29
<211> 6
<212> PRT
<213> artificial sequence
<223> protein sequence corresponding to the oligonucleotide probe SEQ ID No. 23

<400> 29
Gln Val Trp Cys Gly Ser
1 5

1

8

SEQUENCE LISTING

<110> OUIOMET et al.

<120> Novel membrane-bound metalloprotease NEP II and the use thereof for screening inhibitors useful in therapy

<130> P06910US0/BAS

<140>

<141>

<150> PCT/FR99/00807

<151> 1999-04-07

<150> FR/9804389

<151> 1998-04-08

<160> 29

<170> PatentIn Ver. 2.1

<210> 1

<211> 2765

<212> DNA

<213> Rattus rattus

<220>

<221> CDS

<222> (107) ... (2428)

<400> 1

gcaaagcact agcttcagtg tgctcaaggc atccaagctc cagctgcctc cctcctggcc 60

ctggccctgg gtgtcagct gtgtgccttc caccagaac cggctg atg ggg aag 115
Met Gly Lys
1

tcg gag agc tca gtg ggg atg atg gag aga gcg gac aac tgt ggg agg 163
Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn Cys Gly Arg
5 10 15

agg cgc cta ggc ttc gtg gag tgt ggg ctg ctg gta ctg ctg aca ctg 211
Arg Arg Leu Gly Phe Val Glu Cys Gly Leu Leu Val Leu Leu Thr Leu
20 25 30 35

ctg ttg atg gga gcc ata gtg act ctg ggt gtc ttc tac agc ata ggg 259
Leu Leu Met Gly Ala Ile Val Thr Leu Gly Val Phe Tyr Ser Ile Gly
40 45 50

aag cag ctg ccc ctc tta aat agc ctg ctg cac gtc tcc cgg cat gag 307
Lys Gln Leu Pro Leu Leu Asn Ser Leu Leu His Val Ser Arg His Glu
55 60 65

agg acg gtt gta aaa cga gtc ctc aga gat tca tcg cag aag agt gac 355

Arg	Thr	Val	Val	Lys	Arg	Val	Leu	Arg	Asp	Ser	Ser	Gln	Lys	Ser	Asp	
		70					75					80				
atc	tgt	act	acc	cca	agc	tgc	gtg	ata	gca	gct	gcc	aga	atc	ctc	cag	403
Ile	Cys	Thr	Thr	Pro	Ser	Cys	Val	Ile	Ala	Ala	Ala	Arg	Ile	Leu	Gln	
	85					90					95					
aac	atg	gac	cag	tca	aag	aaa	ccc	tgc	gac	aac	ttc	tat	cag	tat	gct	451
Asn	Met	Asp	Gln	Ser	Lys	Lys	Pro	Cys	Asp	Asn	Phe	Tyr	Gln	Tyr	Ala	
100					105					110					115	
tgc	gga	ggc	tgg	cta	cgg	cac	cat	gtg	atc	ccc	gag	acc	aac	tcc	aga	499
Cys	Gly	Gly	Trp	Leu	Arg	His	His	Val	Ile	Pro	Glu	Thr	Asn	Ser	Arg	
				120					125					130		
tac	agc	gtc	ttt	gac	atc	ctt	cgg	gat	gag	ctg	gag	gtc	atc	ctc	aaa	547
Tyr	Ser	Val	Phe	Asp	Ile	Leu	Arg	Asp	Glu	Leu	Glu	Val	Ile	Leu	Lys	
			135					140					145			
ggg	gtg	ctg	gag	gat	tcc	tct	gtc	cag	cac	cgc	cca	gct	gtg	gag	aag	595
Gly	Val	Leu	Glu	Asp	Ser	Ser	Val	Gln	His	Arg	Pro	Ala	Val	Glu	Lys	
		150					155					160				
gcc	aag	aca	ctg	tac	cgc	tcc	tgc	atg	aac	cag	agt	gtg	ata	gag	aag	643
Ala	Lys	Thr	Leu	Tyr	Arg	Ser	Cys	Met	Asn	Gln	Ser	Val	Ile	Glu	Lys	
	165					170					175					
aga	gac	tct	gag	ccc	ctg	ctg	aac	gtc	tta	gat	atg	ata	gga	ggt	tgg	691
Arg	Asp	Ser	Glu	Pro	Leu	Leu	Asn	Val	Leu	Asp	Met	Ile	Gly	Gly	Trp	
180					185					190					195	
cct	gta	gcc	atg	gac	aag	tgg	aat	gag	acc	atg	ggc	ccc	aag	tgg	gaa	739
Pro	Val	Ala	Met	Asp	Lys	Trp	Asn	Glu	Thr	Met	Gly	Pro	Lys	Trp	Glu	
				200					205					210		
ctg	gag	cgg	cag	ttg	gct	gtg	ttg	aac	tgc	cag	ttc	aac	agg	cgc	gtc	787
Leu	Glu	Arg	Gln	Leu	Ala	Val	Leu	Asn	Ser	Gln	Phe	Asn	Arg	Arg	Val	
			215					220					225			
ctc	atc	gac	ctc	ttc	atc	tgg	aat	gat	gac	cag	aac	tcc	agc	cgg	cac	835
Leu	Ile	Asp	Leu	Phe	Ile	Trp	Asn	Asp	Asp	Gln	Asn	Ser	Ser	Arg	His	
		230					235					240				
gtc	atc	tac	ata	gac	cag	ccc	acc	ttg	ggc	atg	ccc	tcc	cgg	gag	tac	883
Val	Ile	Tyr	Ile	Asp	Gln	Pro	Thr	Leu	Gly	Met	Pro	Ser	Arg	Glu	Tyr	
	245					250					255					
tat	ttc	aag	gaa	gac	agc	cac	cgg	gta	cgg	gaa	gcc	tac	ctg	cag	ttc	931
Tyr	Phe	Lys	Glu	Asp	Ser	His	Arg	Val	Arg	Glu	Ala	Tyr	Leu	Gln	Phe	
260					265					270					275	
atg	aca	tca	gtg	gcc	act	atg	ctg	agg	aga	gac	ctg	aac	ctg	ccc	ggg	979
Met	Thr	Ser	Val	Ala	Thr	Met	Leu	Arg	Arg	Asp	Leu	Asn	Leu	Pro	Gly	
				280					285					290		
gag	acc	gat	ttg	gtg	cag	gag	gaa	atg	gca	cag	gtg	ctg	cat	ctg	gag	1027
Glu	Thr	Asp	Leu	Val	Gln	Glu	Glu	Met	Ala	Gln	Val	Leu	His	Leu	Glu	

295										300					305					
aca	cat	ctg	gcc	aac	gcc	acg	gtc	ccc	cag	gag	aaa	agg	cat	gat	gtc	1075				
Thr	His	Leu	Ala	Asn	Ala	Thr	Val	Pro	Gln	Glu	Lys	Arg	His	Asp	Val					
310						315			320											
acc	gcc	ctg	tat	cac	cga	atg	ggc	ctg	gag	gag	ctg	cag	gaa	agg	ttt	1123				
Thr	Ala	Leu	Tyr	His	Arg	Met	Gly	Leu	Glu	Glu	Leu	Gln	Glu	Arg	Phe					
325						330			335											
ggc	ctg	aag	ggg	ttt	aac	tgg	act	ctc	ttc	ata	caa	aac	gtg	ctg	tct	1171				
Gly	Leu	Lys	Gly	Phe	Asn	Trp	Thr	Leu	Phe	Ile	Gln	Asn	Val	Leu	Ser					
340			345			350			355											
tct	gtg	caa	gtt	gag	ctg	ctc	ccg	aat	gag	gag	gtg	gtg	gtc	tat	ggc	1219				
Ser	Val	Gln	Val	Glu	Leu	Leu	Pro	Asn	Glu	Glu	Val	Val	Val	Tyr	Gly					
			360			365			370											
atc	ccc	tac	ctg	gag	aat	ctt	gag	gag	atc	att	gac	gtc	ttc	cca	gca	1267				
Ile	Pro	Tyr	Leu	Glu	Asn	Leu	Glu	Glu	Ile	Ile	Asp	Val	Phe	Pro	Ala					
375						380			385											
cag	acc	ttg	caa	aac	tac	ctg	gtg	tgg	cgc	ctg	gtg	cta	gat	cgc	atc	1315				
Gln	Thr	Leu	Gln	Asn	Tyr	Leu	Val	Trp	Arg	Leu	Val	Leu	Asp	Arg	Ile					
390						395			400											
ggc	agc	ctg	agc	cag	aga	ttc	aaa	gaa	gcg	cgt	gtg	gac	tac	cgc	aag	1363				
Gly	Ser	Leu	Ser	Gln	Arg	Phe	Lys	Glu	Ala	Arg	Val	Asp	Tyr	Arg	Lys					
405			410			415														
gcg	ctg	tac	ggc	aca	acc	atg	gag	gaa	gta	cgc	tgg	cgg	gag	tgt	gtc	1411				
Ala	Leu	Tyr	Gly	Thr	Thr	Met	Glu	Glu	Val	Arg	Trp	Arg	Glu	Cys	Val					
420			425			430			435											
agc	tat	gtc	aac	agc	aac	atg	gag	agt	gcc	gtg	ggc	tcc	ctc	tac	atc	1459				
Ser	Tyr	Val	Asn	Ser	Asn	Met	Glu	Ser	Ala	Val	Gly	Ser	Leu	Tyr	Ile					
			440			445			450											
aag	cgg	gcc	ttc	tcc	aag	gac	agc	aag	agc	ata	gtc	agt	gag	ctt	atc	1507				
Lys	Arg	Ala	Phe	Ser	Lys	Asp	Ser	Lys	Ser	Ile	Val	Ser	Glu	Leu	Ile					
455			460			465														
gag	aag	ata	cgg	tcc	gtg	ttt	gtg	gat	aac	ctg	gac	gag	ttg	aac	tgg	1555				
Glu	Lys	Ile	Arg	Ser	Val	Phe	Val	Asp	Asn	Leu	Asp	Glu	Leu	Asn	Trp					
470			475			480														
atg	gat	gag	gaa	tcc	aag	aaa	aag	gcc	cag	gaa	aag	gcc	ttg	aat	atc	1603				
Met	Asp	Glu	Glu	Ser	Lys	Lys	Lys	Ala	Gln	Glu	Lys	Ala	Leu	Asn	Ile					
485			490			495														
cgg	gaa	cag	atc	ggc	tac	cct	gac	tac	att	ttg	gaa	gac	aat	aac	aga	1651				
Arg	Glu	Gln	Ile	Gly	Tyr	Pro	Asp	Tyr	Ile	Leu	Glu	Asp	Asn	Asn	Arg					
500			505			510			515											
cac	ctg	gat	gag	gaa	tac	tcc	agt	ctg	act	ttc	tca	gag	gac	ctg	tat	1699				
His	Leu	Asp	Glu	Glu	Tyr	Ser	Ser	Leu	Thr	Phe	Ser	Glu	Asp	Leu	Tyr					
			520			525			530											

ttt gag aac ggg ctt cag aac ctc aag aac aat gcc caa agg agc ctc	1747
Phe Glu Asn Gly Leu Gln Asn Leu Lys Asn Asn Ala Gln Arg Ser Leu	
535 540 545	
aag aaa ctt cgg gaa aag gtg gac cag aat ctc tgg atc att ggg gct	1795
Lys Lys Leu Arg Glu Lys Val Asp Gln Asn Leu Trp Ile Ile Gly Ala	
550 555 560	
gca gtg gtc aat gca ttc tac tcc cca aac aga aac ctg atc gtc ttt	1843
Ala Val Val Asn Ala Phe Tyr Ser Pro Asn Arg Asn Leu Ile Val Phe	
565 570 575	
cca gcg ggg atc ctc cag cca ccc ttc ttc agc aag gac caa cca cag	1891
Pro Ala Gly Ile Leu Gln Pro Pro Phe Phe Ser Lys Asp Gln Pro Gln	
580 585 590 595	
gcc ttg aat ttc ggg ggc atc ggg atg gtg att gga cac gag atc aca	1939
Ala Leu Asn Phe Gly Gly Ile Gly Met Val Ile Gly His Glu Ile Thr	
600 605 610	
cac ggc ttt gat gat aac ggt cgg aac ttt gac aag aat ggc aac atg	1987
His Gly Phe Asp Asp Asn Gly Arg Asn Phe Asp Lys Asn Gly Asn Met	
615 620 625	
ctg gac tgg tgg agc aac ttc tcg gcc cgg cac ttc cga cag cag tca	2035
Leu Asp Trp Trp Ser Asn Phe Ser Ala Arg His Phe Arg Gln Gln Ser	
630 635 640	
cag tgt atg att tat cag tac agc aac ttc tct tgg gaa cta gca gac	2083
Gln Cys Met Ile Tyr Gln Tyr Ser Asn Phe Ser Trp Glu Leu Ala Asp	
645 650 655	
aac cag aat gtg aac gga ttc agc acc ctc ggg gag aac atc gcc gac	2131
Asn Gln Asn Val Asn Gly Phe Ser Thr Leu Gly Glu Asn Ile Ala Asp	
660 665 670 675	
aac ggc ggt gtg cgg cag gca tac aag gct tac cta cag tgg cta gct	2179
Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Gln Trp Leu Ala	
680 685 690	
gaa ggc ggc aga gac cag aga ctg ccg gga ctg aac ctg acc tat gct	2227
Glu Gly Gly Arg Asp Gln Arg Leu Pro Gly Leu Asn Leu Thr Tyr Ala	
695 700 705	
cag ctt ttc ttc att aac tat gcc cag gtg tgg tgt ggg tcc tac agg	2275
Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg	
710 715 720	
ccg gag ttc gcc atc cag tcc atc aag aca gat gtc cac agt cct ctt	2323
Pro Glu Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu	
725 730 735	
aag tac agg gtg ctg ggc tca cta cag aac cta cca ggc ttc tct gag	2371
Lys Tyr Arg Val Leu Gly Ser Leu Gln Asn Leu Pro Gly Phe Ser Glu	
740 745 750 755	

gcg ttc cac tgc cca cga ggc agc ccc atg cac cct atg aat cga tgt 2419
Ala Phe His Cys Pro Arg Gly Ser Pro Met His Pro Met Asn Arg Cys
760 765 770

cgc atc tgg tagccaaggc tgagctatgc tgcggccac gccccgccac 2468
Arg Ile Trp

ccagaggcctt cgtgaatggt gtagccggca tagatgtgca ggttggtgcc tgaaggccac 2528

tggagccacc agccagccct ccgcgccag cctagagggc agccaccgc ccacatctgg 2588

gatgagtggg ggtgcctggg cctgcgcctt ttccggccag tgagggtcag cggcccggtg 2648

ggagcagtca gctgtcccc accctcttca tagtgtgtgg ctaaagtcc tcgagottca 2708

gacttgagct aagtaaacgc ttcaaagaag gcaaaaaaaaa aaaaaaaaaa aaaaggg 2765

<210> 2
<211> 774
<212> PRT
<213> Rattus rattus

<400> 2
Met Gly Lys Ser Glu Ser Ser Val Gly Met Met Glu Arg Ala Asp Asn
1 5 10 15
Cys Gly Arg Arg Arg Leu Gly Phe Val Glu Cys Gly Leu Leu Val Leu
20 25 30
Leu Thr Leu Leu Leu Met Gly Ala Ile Val Thr Leu Gly Val Phe Tyr
35 40 45
Ser Ile Gly Lys Gln Leu Pro Leu Leu Asn Ser Leu Leu His Val Ser
50 55 60
Arg His Glu Arg Thr Val Val Lys Arg Val Leu Arg Asp Ser Ser Gln
65 70 75 80
Lys Ser Asp Ile Cys Thr Thr Pro Ser Cys Val Ile Ala Ala Ala Arg
85 90 95
Ile Leu Gln Asn Met Asp Gln Ser Lys Lys Pro Cys Asp Asn Phe Tyr
100 105 110
Gln Tyr Ala Cys Gly Gly Trp Leu Arg His His Val Ile Pro Glu Thr
115 120 125
Asn Ser Arg Tyr Ser Val Phe Asp Ile Leu Arg Asp Glu Leu Glu Val
130 135 140
Ile Leu Lys Gly Val Leu Glu Asp Ser Ser Val Gln His Arg Pro Ala
145 150 155 160
Val Glu Lys Ala Lys Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val

165								170				175			
Ile	Glu	Lys	Arg 180	Asp	Ser	Glu	Pro	Leu 185	Leu	Asn	Val	Leu	Asp 190	Met	Ile
Gly	Gly	Trp 195	Pro	Val	Ala	Met	Asp 200	Lys	Trp	Asn	Glu	Thr 205	Met	Gly	Pro
Lys	Trp 210	Glu	Leu	Glu	Arg	Gln 215	Leu	Ala	Val	Leu	Asn 220	Ser	Gln	Phe	Asn
Arg 225	Arg	Val	Leu	Ile	Asp 230	Leu	Phe	Ile	Trp	Asn 235	Asp	Asp	Gln	Asn	Ser 240
Ser	Arg	His	Val	Ile 245	Tyr	Ile	Asp	Gln	Pro 250	Thr	Leu	Gly	Met	Pro 255	Ser
Arg	Glu	Tyr	Tyr 260	Phe	Lys	Glu	Asp	Ser 265	His	Arg	Val	Arg	Glu 270	Ala	Tyr
Leu	Gln	Phe 275	Met	Thr	Ser	Val	Ala 280	Thr	Met	Leu	Arg	Arg 285	Asp	Leu	Asn
Leu	Pro 290	Gly	Glu	Thr	Asp	Leu 295	Val	Gln	Glu	Glu	Met 300	Ala	Gln	Val	Leu
His 305	Leu	Glu	Thr	His	Leu 310	Ala	Asn	Ala	Thr	Val 315	Pro	Gln	Glu	Lys	Arg 320
His	Asp	Val	Thr	Ala 325	Leu	Tyr	His	Arg 330	Met	Gly	Leu	Glu	Glu	Leu 335	Gln
Glu	Arg	Phe	Gly 340	Leu	Lys	Gly	Phe	Asn 345	Trp	Thr	Leu	Phe	Ile 350	Gln	Asn
Val	Leu	Ser 355	Ser	Val	Gln	Val	Glu 360	Leu	Leu	Pro	Asn	Glu 365	Glu	Val	Val
Val	Tyr 370	Gly	Ile	Pro	Tyr	Leu 375	Glu	Asn	Leu	Glu	Glu 380	Ile	Ile	Asp	Val
Phe 385	Pro	Ala	Gln	Thr	Leu 390	Gln	Asn	Tyr	Leu	Val 395	Trp	Arg	Leu	Val	Leu 400
Asp	Arg	Ile	Gly 405	Ser	Leu	Ser	Gln	Arg	Phe 410	Lys	Glu	Ala	Arg	Val 415	Asp
Tyr	Arg	Lys	Ala 420	Leu	Tyr	Gly	Thr	Thr 425	Met	Glu	Glu	Val	Arg 430	Trp	Arg
Glu	Cys	Val 435	Ser	Tyr	Val	Asn	Ser 440	Asn	Met	Glu	Ser	Ala 445	Val	Gly	Ser
Leu	Tyr 450	Ile	Lys	Arg	Ala	Phe 455	Ser	Lys	Asp	Ser	Lys 460	Ser	Ile	Val	Ser
Glu	Leu	Ile	Glu	Lys	Ile	Arg	Ser	Val	Phe	Val	Asp	Asn	Leu	Asp	Glu

465		470		475		480
Leu Asn Trp Met	Asp Glu Glu Ser Lys	Lys Lys Ala Gln Glu Lys Ala				
	485	490			495	
Leu Asn Ile Arg	Glu Gln Ile Gly Tyr Pro	Asp Tyr Ile Leu Glu Asp				
	500	505			510	
Asn Asn Arg His	Leu Asp Glu Glu Tyr Ser	Ser Ser Leu Thr Phe Ser Glu				
	515	520			525	
Asp Leu Tyr Phe	Glu Asn Gly Leu Gln Asn Leu	Lys Asn Asn Ala Gln				
	530	535			540	
Arg Ser Leu Lys	Lys Leu Arg Glu Lys Val	Asp Gln Asn Leu Trp Ile				
	545	550			555	560
Ile Gly Ala Ala	Val Val Asn Ala Phe Tyr	Ser Pro Asn Arg Asn Leu				
	565	570			575	
Ile Val Phe Pro	Ala Gly Ile Leu Gln Pro	Pro Phe Phe Ser Lys Asp				
	580	585			590	
Gln Pro Gln Ala	Leu Asn Phe Gly Gly Ile	Gly Met Val Ile Gly His				
	595	600			605	
Glu Ile Thr His	Gly Phe Asp Asp Asn Gly	Arg Asn Phe Asp Lys Asn				
	610	615			620	
Gly Asn Met Leu	Asp Trp Trp Ser Asn Phe	Ser Ala Arg His Phe Arg				
	625	630			635	640
Gln Gln Ser Gln	Cys Met Ile Tyr Gln Tyr	Ser Asn Phe Ser Trp Glu				
	645	650			655	
Leu Ala Asp Asn	Gln Asn Val Asn Gly Phe	Ser Thr Leu Gly Glu Asn				
	660	665			670	
Ile Ala Asp Asn	Gly Gly Val Arg Gln Ala	Tyr Lys Ala Tyr Leu Gln				
	675	680			685	
Trp Leu Ala Glu	Gly Gly Arg Asp Gln Arg	Leu Pro Gly Leu Asn Leu				
	690	695			700	
Thr Tyr Ala Gln	Leu Phe Phe Ile Asn Tyr	Ala Gln Val Trp Cys Gly				
	705	710			715	720
Ser Tyr Arg Pro	Glu Phe Ala Ile Gln Ser	Ile Lys Thr Asp Val His				
	725	730			735	
Ser Pro Leu Lys	Tyr Arg Val Leu Gly Ser	Leu Gln Asn Leu Pro Gly				
	740	745			750	
Phe Ser Glu Ala	Phe His Cys Pro Arg Gly	Ser Pro Met His Pro Met				
	755	760			765	
Asn Arg Cys Arg	Ile Trp					

770

<210> 3
<211> 327
<212> DNA
<213> Homo sapiens

<400> 3
gggcacgaga tcacgcacgg ctttgatgac aatggccgga acttcgacaa gaatggcaac 60
atgatggatt ggtggagtaa cttctccacc cagcacttcc gggagcagtc agagtgcattg 120
atctaccagt acggcaacta ctctggggac ctggcagacg aacagaacgt gaacggattc 180
aacacccttg gggaaaacat tgctgacaac ggaggggtgc ggcaagccta taaggcctac 240
ctcaagtgga tggcagaggg tggcaaggac cagcagctgc ccggcctgga tctcaccat 300
gagcagctct tcttcatcaa ctatgcc 327

<210> 4
<211> 116
<212> PRT
<213> Homo sapiens

<400> 4
Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn Phe Asp
1 5 10 15
Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser Thr Gln His
20 25 30
Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly Asn Tyr Ser
35 40 45
Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn Thr Leu Gly
50 55 60
Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr
65 70 75 80
Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu Pro Gly Leu
85 90 95
Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp
100 105 110
Cys Gly Cys Lys
115

<210> 5
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 5
tggagcggca gttggctgtg

<210> 6
<211> 21
<212> DNA
<213> artificial sequence

20

<220>
<223> oligonucleotide

<400> 6
agttcccact tggggcccat g

<210> 7
<211> 20
<212> DNA
<213> artificial sequence

21

<220>
<223> oligonucleotide

<400> 7
gctggaggat tcctctgtcc

<210> 8
<211> 19
<212> DNA
<213> artificial sequence

20

<220>
<223> oligonucleotide

<400> 8
cggggatcac atggtgccg

<210> 9
<211> 21
<212> DNA
<213> artificial sequence

19

<220>
<223> oligonucleotide

<400> 9
ctacccaag ctgcgtgata g

<210> 10
<211> 21
<212> DNA
<213> artificial sequence

21

<220>
<223> oligonucleotide

<400> 10
cggcaccatg tgatccccga g 21

<210> 11
<211> 22
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 11
gcaaagcact agcttcagtg tg 22

<210> 12
<211> 22
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 12
ggtcattcatt ccagatgaag ag 22

<210> 13
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 13
cgatgaggac ggcctgttg 20

<210> 14
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 14
tgcaggaaag gtttggctctg 20

<210> 15
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 15
gaacgcctca gagaagcctg 20

<210> 16
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 16
atgaccagaa ctccagccgg 20

<210> 17
<211> 21
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 17
catcatgctt tttctcctgg g 21

<210> 18
<211> 21
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 18
cccgaagttt cttgaggctc c 21

<210> 19
<211> 19
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 19
gatcggctac cctgactac 19

<210> 20
<211> 19
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 20
gttcgccatc cagtccatc 19

<210> 21
<211> 20
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 21
cgaagcctag ggcctcctc 20

<210> 22
<211> 24
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 22
cgagatcaca catggctttg atga 24

<210> 23
<211> 18
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 23
ggaccacac cacacctg 18

<210> 24
<211> 22
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 24
cggcctggat ctcacccatg ag 22

<210> 25
<211> 26
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 25
ctgactgctc ccggaagtgc tgggtg 26

<210> 26
<211> 18
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 26
gagcagctct tcttcatc

18

<210> 27
<211> 22
<212> DNA
<213> artificial sequence

<220>
<223> oligonucleotide

<400> 27
ctccaccaat ccatcatgtt gc

22

<210> 28
<211> 6
<212> PRT
<213> artificial sequence

<220>
<223> protein sequence corresponding to the oligonucleotide probe SEQ ID No. 22


<400> 28
Glu Ile Thr His Phe Asp
1 5

<210> 29
<211> 6
<212> PRT
<213> artificial sequence

<220>
<223> protein sequence corresponding to the oligonucleotide probe SEQ ID No. 23

<400> 29
Gln Val Trp Cys Gly Ser
1 5

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☒ Page(s) _____ of DRAWINGS were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ *Scanned copy is best available.*

SCANNED, # 24